



Safety Data Sheet

Issue Date: 27-Dec-2011

Revision Date: 04-Dec-2017

Version 2

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

SDS # BE-5090-EU
Product Code 5090
Product Name Buckeye Sanicare Quat-256

Contains EDTA, Alkyl dimethyl benzyl ammonium chloride (C12-16), Didecyldimethylammonium chloride

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended Use Cleaner Disinfectant Water based

1.3. Details of the Supplier of the Safety Data Sheet

Importer

UK Contact
Lewis Kirby, EU General Manager
25 Frances Brady Way
Kingston Upon Hull
HU9 3BW UK

REACH Only Representative

TSGE
TSGE@TSGEurope.com

Supplier

Buckeye International, Inc.
2700 Wagner Place
Maryland Heights, MO 63043 USA

For further information, please contact

Contact Point Lewis Kirby, EU General Manager: +4407792782066
Buckeye International, Inc.: 1-314-291-1900
Email Address info@buckeyeinternational.com

1.4. Emergency telephone number

Emergency Telephone (24 hr) (Medical) 1-651-632-8956 (International)
1-800-303-0441 (North America)
(Transportation) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture Regulation (EC) No 1272/2008

Acute toxicity - Oral	Category 4 - (H302)
Skin corrosion/irritation	Category 1 Sub-category B - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)
Chronic aquatic toxicity	Category 2 - (H411)

2.2. Label Elements

Product Identifier

Contains EDTA, Alkyl dimethyl benzyl ammonium chloride (C12-16), Didecyldimethylammonium chloride

**Signal Word**

Danger

Hazard statements

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements - EU (§28, 1272/2008)

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P330 - Rinse mouth

P501 - Dispose of contents/ container to an approved waste disposal plant

P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P363 - Wash contaminated clothing before reuse

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P310 - Immediately call a POISON CENTER or doctor/physician

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P405 - Store locked up

P501 - Dispose of contents/container to industrial incineration plant

P273 - Avoid release to the environment

P391 - Collect spillage

2.3. Other Hazards

No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2. MIXTURES**

Chemical Name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Didecyldimethylammonium chloride	Present	7173-51-5	12	Acute Tox. 4 (H302) Skin Corr. 1B (H314) Eye Dam. 1 (H318)	Not determined
Ethyl Alcohol	Present	64-17-5	5	Flam. Liq. 2 (H225)	Not determined
EDTA	Present	60-00-4	5	Eye Irrit. 2 (H319)	Not determined

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 4: FIRST AID MEASURES**4.1. Description of First Aid Measures****General Advice**

Call a poison center or doctor immediately for treatment advice.

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek immediate medical attention/advice.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing. Wash contaminated clothing before reuse.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration.
Ingestion	Have person sip a glass of water if able to swallow. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms	Contact may cause irritation and redness. Direct eye contact may cause stinging, tearing and redness. May cause redness, pain, and severe skin burns. May cause irritation to the mucous membranes and upper respiratory tract. Ingestion may cause nausea and headache.
-----------------	--

4.3. Indication of any Immediate Medical Attention and Special Treatment Needed

Notes to Physician	Treat symptomatically. If the product is ingested, probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsions may be needed.
---------------------------	---

Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media

Water spray (fog). Dry powder. Foam.

Unsuitable Extinguishing Media

Not determined.

5.2. Special Hazards Arising from the Substance or Mixture

Toxic fumes may be given off when material is exposed to fire.

Hazardous Combustion Products

Carbon oxides. Nitrogen oxides (NOx). Hydrogen chloride.

5.3. Advice for Firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions

Use personal protective equipment as required.

For Emergency Responders

Use personal protection recommended in Section 8.

6.2. Environmental Precautions

Collect spillage. See Section 12 for additional Ecological Information.

6.3. Methods and Material for Containment and Cleaning Up

Methods for Containment

Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Pick up with mop, wet/dry vac, or absorbent material. Rinse area with clear water and allow floor to dry before allowing traffic.

6.4. Reference to Other Sections

See Section 13: DISPOSAL CONSIDERATIONS.

Section 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Advice on Safe Handling

Keep out of the reach of children. Use personal protection recommended in Section 8. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid release to the environment.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice. Wash hands thoroughly after handling. Wash contaminated clothing before reuse.

7.2. Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Store at room temperature. Keep container closed when not in use. Do not contaminate water, food, or feed by storage or disposal.

Packaging Materials Rinse container before discarding.

7.3. Specific End Use(s)

Specific Use(s)

Cleaner. Disinfectant. Water based.

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

Exposure Limits

Chemical Name	European Union	United Kingdom	France	Spain	Germany
Ethyl Alcohol 64-17-5	-	STEL: 3000 ppm STEL: 5760 mg/m ³ TWA: 1000 ppm TWA: 1920 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³ STEL: 5000 ppm STEL: 9500 mg/m ³	STEL: 1000 ppm STEL: 1910 mg/m ³	TWA: 500 ppm TWA: 960 mg/m ³
Chemical Name	Italy	Portugal	Netherlands	Finland	Denmark
Ethyl Alcohol 64-17-5	-	TWA: 1000 ppm	Skin STEL: 1900 mg/m ³ TWA: 260 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³ STEL: 1300 ppm STEL: 2500 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
Ethyl Alcohol 64-17-5	STEL 2000 ppm STEL 3800 mg/m ³ TWA: 1000 ppm TWA: 1900 mg/m ³	STEL: 1000 ppm STEL: 1920 mg/m ³ TWA: 500 ppm TWA: 960 mg/m ³	TWA: 1900 mg/m ³	TWA: 500 ppm TWA: 950 mg/m ³ STEL: 625 ppm STEL: 1187.5 mg/m ³	STEL: 1000 ppm

8.2. Exposure Controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Personal Protective Equipment

Eye/Face Protection	Splash goggles or safety glasses.
Hand Protection	Rubber gloves.
Skin and Body Protection	Normal work clothing (long sleeved shirts and long pants) is recommended.
Respiratory Protection	If necessary, refer to appropriate regulations and standards.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1. Information on Basic Physical and Chemical Properties**

Physical state	Liquid	Odour	Rose
Appearance	Clear red liquid	Odour Threshold	Not determined
Colour	Red		
Property	Values	Remarks • Method	
pH	7.6 ± 0.2 (conc) 7.0 ± 0.2 (1:256 dilution)		
Melting Point/Freezing Point	Not determined		
Boiling Point/Boiling Range	100 °C / 212 °F		
Flash Point	~ 93 °C / ~ 200 °F	Tag Closed Cup (Water = 1)	
Evaporation Rate	1.0		
Flammability (Solid, Gas)	Liquid-Not applicable		
Flammability Limits in Air			
Upper Flammability Limits	Not applicable		
Lower Flammability Limit	Not applicable		
Vapour Pressure	Not determined		
Vapour Density	Not determined		
Relative Density	1.00		
Water Solubility	Infinite		
Solubility(ies)	Not determined		
Partition Coefficient	Not determined		
Auto-ignition Temperature	Not determined		
Decomposition Temperature	Not determined		
Kinematic Viscosity	Not determined		
Dynamic Viscosity	Not determined		
Explosive Properties	Not determined		
Oxidising Properties	Not determined		

Section 10: STABILITY AND REACTIVITY**10.1. Reactivity**

Not reactive under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

Sensitivity to Mechanical Impact

None.

Sensitivity to Static Discharge

None.

10.3. Possibility of Hazardous Reactions**Hazardous Polymerisation**

Hazardous polymerisation does not occur.

Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to Avoid

Keep out of reach of children.

10.5. Incompatible Materials

Chlorine bleach. Anionic detergents. Strong oxidising agents. Strong reducing agents.

10.6. Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases or vapors.

Section 11: TOXICOLOGICAL INFORMATION**11.1. Information on Toxicological Effects****Acute Toxicity****Product Information**

Inhalation	Avoid breathing vapours or mists.
Eye Contact	Avoid contact with eyes.
Skin Contact	Avoid contact with skin.
Ingestion	Harmful if swallowed.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	1,956.00 mg/kg
ATEmix (inhalation-dust/mist)	1,695.90 mg/L

Unknown Acute Toxicity

37 % of the mixture consists of ingredient(s) of unknown toxicity.

5 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

37 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

37 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

37 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapour).

32 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Didecyltrimethylammonium chloride	= 84 mg/kg (Rat)		
Alkyl dimethyl benzyl ammonium chloride (C12-16)	= 426 mg/kg (Rat)		
EDTA	= 1700 mg/kg (Rat)		
Ethyl Alcohol	= 7060 mg/kg (Rat)		= 124.7 mg/L (Rat) 4 h

Skin corrosion/irritation	Causes severe skin burns.
Serious eye damage/eye irritation	Causes severe eye damage.
Sensitisation	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.
Reproductive toxicity	Not classified.
STOT - single exposure	Not classified.
STOT - repeated exposure	Not classified.
Aspiration hazard	Not classified.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Ethyl Alcohol		13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static 12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static	10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static 9268 - 14221: 48 h Daphnia magna mg/L LC50
EDTA	1.01: 72 h Desmodesmus subspicatus mg/L EC50	34 - 62: 96 h Lepomis macrochirus mg/L LC50 static 44.2 - 76.5: 96 h Pimephales promelas mg/L LC50 static	113: 48 h Daphnia magna mg/L EC50 Static

12.2. Persistence and Degradability

Not determined.

12.3. Bioaccumulative Potential

Chemical Name	Partition Coefficient
Ethyl Alcohol	-0.32

12.4. Mobility in Soil

Mobility

Not determined.

12.5. Results of PBT and vPvB Assessment

Not determined.

12.6. Other Adverse Effects

Not determined.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Waste from Residues / Unused Products

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Improper disposal or reuse of this container may be dangerous and illegal.

Section 14: TRANSPORT INFORMATION

IMDG

14.1 UN/ID No	UN1760
14.2 Proper Shipping Name	Corrosive liquids, n.o.s. (Alkyldimethylbenzyl ammonium chloride)
14.3 Hazard Class	8
14.4 Packing Group	II

RID

14.1 UN/ID No	UN1760
14.2 Proper Shipping Name	Corrosive liquids, n.o.s. (Alkyldimethylbenzyl ammonium chloride)
14.3 Hazard Class	8
14.4 Packing Group	II

ADR

14.1 UN/ID No	UN1760
14.2 Proper Shipping Name	Corrosive liquids, n.o.s. (Alkyldimethylbenzyl ammonium chloride)
14.3 Hazard Class	8
14.4 Packing Group	II

IATA

14.1 UN/ID No	UN1760
14.2 Proper Shipping Name	Corrosive liquids, n.o.s. (Alkyldimethylbenzyl ammonium chloride)
14.3 Hazard Class	8
14.4 Packing Group	II

Section 15: REGULATORY INFORMATION**15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture****National Regulations**

France

Occupational Illnesses (R-463-3, France)

Chemical Name	French RG number	Title
Ethyl Alcohol 64-17-5	RG 84	

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not applicable

Export Notification requirements

This product contains substances which are regulated pursuant to Regulation (EC) No. 689/2008 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical Name	European Export/Import Restrictions per (EC) 649/2012 - Annex Number
Didecyldimethylammonium chloride - 7173-51-5	I.1

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories

Component	TSCA	DSL/NDSL	EINECS/ELINCS	PICCS	ENCS	IECSC	AICS	KECL
Didecyldimethylammonium chloride 7173-51-5 (12)	X	X	X	X	Present	X	X	Present
Ethyl Alcohol 64-17-5 (5)	X	X	X	X	Present	X	X	Present
EDTA 60-00-4 (5)	X	X	X	X	Present	X	X	Present

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
 PICCS - Philippines Inventory of Chemicals and Chemical Substances
 ENCS - Japan Existing and New Chemical Substances
 IECSC - China Inventory of Existing Chemical Substances
 AICS - Australian Inventory of Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

Section 16: OTHER INFORMATION**Full text of H-Statements referred to under section 3**

H319 - Causes serious eye irritation
 H225 - Highly flammable liquid and vapour
 H302 - Harmful if swallowed
 H314 - Causes severe skin burns and eye damage
 H318 - Causes serious eye damage

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**Classification Procedure**

Calculation method

Issue Date: 27-Dec-2011
Revision Date: 04-Dec-2017
Revision Note: Regulatory update.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended by Regulation (EU) No. 453/2010

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet