



# Safety Data Sheet

Issue Date: 27-Dec-2011

Revision Date: 11-Jun-2018

Version 4

## 1. IDENTIFICATION

### Product Identifier

**Product Name** Buckeye Status Classic

### Other means of identification

**SDS #** BE-5540

**Product Code** 5540

**UN/ID No** UN1950

### Recommended use of the chemical and restrictions on use

**Recommended Use** Aerosol Furniture Polish.

### Details of the supplier of the safety data sheet

#### Supplier Address

Buckeye International, Inc.  
2700 Wagner Place  
Maryland Heights, MO 63043 USA

### Emergency Telephone Number

**Company Phone Number** 1-651-632-8956 (International)  
1-800-303-0441 (North America)  
**Emergency Telephone (24 hr)** INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

**Appearance** Cream white spray

**Physical state** Aerosol

**Odor** Lemon

### Classification

Germ cell mutagenicity	Category 1B
Aspiration toxicity	Category 1
Gases Under Pressure	Compressed Gas
Flammable Aerosols	Category 1

### Signal Word

**Danger**

### Hazard statements

May cause genetic defects  
May be fatal if swallowed and enters airways  
Contains gas under pressure; may explode if heated  
Extremely flammable aerosol

**Precautionary Statements - Prevention**

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Use personal protective equipment as required  
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking  
 Do not spray on an open flame or other ignition source  
 Pressurized container: Do not pierce or burn, even after use

**Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention  
 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician  
 Do NOT induce vomiting

**Precautionary Statements - Storage**

Store locked up  
 Protect from sunlight. Store in a well-ventilated place  
 Do not expose to temperatures exceeding 50 °C/122 °F

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
Mineral spirits	8032-32-4	15
N-Butane	106-97-8	<7
Propane	74-98-6	<4

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

### 4. FIRST AID MEASURES

**First Aid Measures**

<b>Eye Contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes.
<b>Inhalation</b>	Remove to fresh air.
<b>Ingestion</b>	Immediately call a poison center or doctor/physician. Do NOT induce vomiting.

**Most important symptoms and effects**

<b>Symptoms</b>	May cause skin and eye irritation. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. May be fatal if swallowed and enters airways.
-----------------	--

**Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media**

Carbon dioxide (CO<sub>2</sub>). Foam. Dry chemical.

**Unsuitable Extinguishing Media** Not determined.

**Specific Hazards Arising from the Chemical**

Extremely flammable aerosol. Do not expose to temperatures exceeding 50 °C/122°F. In a fire or if heated, a pressure increase will occur and the container may burst.

**Hazardous Combustion Products** Carbon oxides. Silicon oxides.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal Precautions** Use personal protective equipment as required.

**Environmental precautions**

**Environmental precautions** See Section 12 for additional Ecological Information.

**Methods and material for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Pick up with mop, wet/dry vac, or absorbent material. Wash area with detergent solution followed by a clear water rinse. Allow floor to dry before allowing traffic. Repeat cleaning if necessary. Residues left behind may present a slipping hazard. Dispose of contents/container to an approved waste disposal plant.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

**Advice on Safe Handling** Handle in accordance with good industrial hygiene and safety practice. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep container tightly closed and store in a cool, dry and well-ventilated place. Store away from heat, sparks, flame. Protect from freezing. Do not puncture or incinerate container. Avoid food contamination. Do not expose to temperatures exceeding 50 °C/122°F.

**Incompatible Materials** Acids. Strong alkalis. Heavy metal salts.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Mineral spirits 8032-32-4	-	(vacated) TWA: 300 ppm (vacated) TWA: 1350 mg/m <sup>3</sup> (vacated) STEL: 400 ppm (vacated) STEL: 1800 mg/m <sup>3</sup>	Ceiling: 1800 mg/m <sup>3</sup> 15 min TWA: 350 mg/m <sup>3</sup>
N-Butane 106-97-8	STEL: 1000 ppm explosion hazard	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	IDLH: 1600 ppm TWA: 800 ppm TWA: 1900 mg/m <sup>3</sup>
Propane 74-98-6	: See Appendix F: Minimal Oxygen Content, explosion hazard	TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup> (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m <sup>3</sup>	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup>

### Appropriate engineering controls

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits.

### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Risk of contact: Wear approved safety goggles.

**Skin and Body Protection** Wear rubber gloves or other impervious gloves.

**Respiratory Protection** Refer to 29 CFR 1910.134 for respiratory protection requirements.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly with soap and water after handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical state</b>	Aerosol	<b>Odor</b>	Lemon
<b>Appearance</b>	Cream white spray	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Cream white		
<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks • Method</u></b>	
<b>pH</b>	Not determined		
<b>Melting point / freezing point</b>	Not determined		
<b>Boiling Point / Boiling Range</b>	Not determined		
<b>Flash Point</b>	No Flame Extension	ASTM D3065	
<b>Evaporation Rate</b>	Not determined		
<b>Flammability (Solid, Gas)</b>	Not determined		
<b>Flammability Limit in Air</b>			
<b>Upper Flammability Limit</b>	Not determined		
<b>Lower Flammability Limit</b>	Not determined		
<b>Vapor Pressure</b>	Not determined		
<b>Vapor Density</b>	Not determined		
<b>Relative Density</b>	0.93 Concentrate		
<b>Water Solubility</b>	Not determined		
<b>Solubility in other solvents</b>	Not determined		
<b>Partition Coefficient</b>	Not determined		
<b>Autoignition temperature</b>	Not determined		
<b>Decomposition Temperature</b>	Not determined		
<b>Kinematic Viscosity</b>	Not determined		
<b>Dynamic Viscosity</b>	Not determined		
<b>Explosive Properties</b>	Not determined		

**Oxidizing Properties** Not determined

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

### Conditions to Avoid

Heat, sparks, flames.

### Incompatible Materials

Acids. Strong alkalis. Heavy metal salts.

### Hazardous Decomposition Products

Carbon oxides. Silicon oxides.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

**Eye Contact** Avoid contact with eyes.

**Skin Contact** Avoid contact with skin.

**Inhalation** Avoid breathing vapors or mists.

**Ingestion** May be fatal if swallowed and enters airways.

### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Mineral spirits 8032-32-4	-	-	= 3400 ppm ( Rat ) 4 h
Polydimethylsiloxane 63148-62-9	> 24 g/kg ( Rat ) > 17 g/kg ( Rat )	> 2 g/kg ( Rabbit )	-
N-Butane 106-97-8	-	-	= 658 g/m <sup>3</sup> ( Rat ) 4 h
Propane 74-98-6	-	-	> 800000 ppm ( Rat ) 15 min
nonylphenol ethoxylate 9016-45-9	= 1310 mg/kg ( Rat ) = 2590 mg/kg ( Rat )	= 1780 µL/kg ( Rabbit ) = 2 mL/kg ( Rabbit )	-
Sodium benzoate 532-32-1	= 4070 mg/kg ( Rat )	-	-

### Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Germ cell mutagenicity</b>	May cause genetic defects.
<b>Carcinogenicity</b>	Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
<b>Aspiration hazard</b>	May be fatal if swallowed and enters airways.

**Numerical measures of toxicity**

Not determined

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Component Information**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Mineral spirits 8032-32-4	4700: 72 h Pseudokirchneriella subcapitata mg/L EC50		
Sodium benzoate 532-32-1		100: 96 h Pimephales promelas mg/L LC50 static 420 - 558: 96 h Pimephales promelas mg/L LC50 flow-through	650: 48 h Daphnia magna mg/L EC50

**Persistence/Degradability**

Not determined.

**Bioaccumulation**

Not determined.

**Mobility**

Chemical Name	Partition Coefficient
N-Butane 106-97-8	2.89
Propane 74-98-6	2.3

**Other Adverse Effects**

Not determined

**13. DISPOSAL CONSIDERATIONS****Waste Treatment Methods**

<b>Disposal of Wastes</b>	Disposal should be in accordance with applicable regional, national and local laws and regulations.
<b>Contaminated Packaging</b>	Disposal should be in accordance with applicable regional, national and local laws and regulations.

## 14. TRANSPORT INFORMATION

**Note** Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

### DOT

UN/ID No UN1950  
 Proper Shipping Name Aerosols  
 Hazard Class 2.1

### IATA

UN/ID No UN1950  
 Proper Shipping Name Aerosols, flammable  
 Hazard Class 2.1

### IMDG

UN/ID No UN1950  
 Proper Shipping Name Aerosols  
 Hazard Class 2.1

## 15. REGULATORY INFORMATION

### International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Mineral spirits	X	X	X		X	X	X	X
Polydimethylsiloxane	X	X			X	X	X	X
N-Butane	X	X	X	X	X	X	X	X
Propane	X	X	X	X	X	X	X	X
Sorbitan Isostearate	X	X	X	X	X	X	X	X
Carnauba Wax	X	X	X		X	X	X	X
nonylphenol ethoxylate	X	X	X	X	X	X	X	X
Sodium benzoate	X	X	X	X	X	X	X	X

#### **Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

### US Federal Regulations

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Mineral spirits 8032-32-4	X		X
N-Butane 106-97-8	X	X	X
Propane 74-98-6	X	X	X

<b>16. OTHER INFORMATION</b>
------------------------------

**NFPA****Health Hazards**

1

**Flammability**

1

**Instability**

1

**Special Hazards**

Not determined

**HMIS****Health Hazards**

Not determined

**Flammability**

Not determined

**Physical hazards**

Not determined

**Personal Protection**

Not determined

**Issue Date:** 27-Dec-2011  
**Revision Date:** 11-Jun-2018  
**Revision Note:** New format

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**