Safety Data Sheet



Issue Date: 08-May-2012

Revision Date: 19-May-2020

Version 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

SDS #	BE-5104-EU
Product Code	5104
Product Name	Buckeye Verde Ultra

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use

Floor Finish, Water Based

1.3. Details of the Supplier of the Safety Data Sheet

Importer UK Contact Lewis Kirby, EU General Manager 25 Frances Brady Way Kingston Upon Hull HU9 3BW UK REACH Only Representative TSGE TSGE@TSGEurope.com Supplier Buckeye International, Inc. 2700 Wagner Place Maryland Heights, MO 63043 USA

For further information, please contact

Contact Point

Email Address

Lewis Kirby, EU General Manager: +4407792782066 Buckeye International, Inc.: 1-314-291-1900 info@buckeyeinternational.com

1.4. Emergency telephone number

Emergency Telephone (24 hr)

Transportation - INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America) Medical - (International) 1-651-632-8956 (North America) 1-800-303-0441

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture Regulation (EC) No 1272/2008

2.2. Label Elements

Product Identifier This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

Signal Word

None

EUH210 - Safety data sheet available on request

2.3. Other Hazards

No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Di(ethylene glycol) ethyl ether	Present	111-90-0	4.9	Not determined	Not determined

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

Eye Contact	Rinse immediately with plenty of water and seek medical advice.	
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes.	
Inhalation	Remove to fresh air.	
Ingestion	Give two large glasses of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention.	
4.2. Most Important Symptoms and Effects, Both Acute and Delayed		
Symptoms	May cause eye and skin irritation.	
4.3. Indication of any Immediate Me	dical Attention and Special Treatment Needed	
Notes to Physician	Treat symptomatically.	

Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

Not determined.

5.2. Special Hazards Arising from the Substance or Mixture

Not determined.

Hazardous combustion products Phosphorus oxides. Carbon oxides. Nitrogen oxides (NOx).

5.3. Advice for Firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions

Use personal protective equipment as required.

For Emergency Responders

Use personal protection recommended in Section 8.

6.2. Environmental Precautions

See Section 12 for additional Ecological Information.

6.3. Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Pick up with mop, wet/dry vac, or absorbent material. Rinse area with clear water and allow floor to dry before allowing traffic.

6.4. Reference to Other Sections

See Section 13: DISPOSAL CONSIDERATIONS.

Section 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Advice on Safe Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly with soap and water after handling.

7.2. Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep locked up and out of reach of children. Protect from freezing. Store at room temperature. Do not store above 110°F.

7.3. Specific End Use(s)

Specific Use(s)

Floor Finish, Water Based.

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

Exposure LimitsThis product, as supplied, does not contain any hazardous materials with occupational
exposure limits established by the region specific regulatory bodies.8.2. Exposure ControlsEnsure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/Face Protection	Risk of contact: Wear approved safety goggles.
Hand Protection	Wear rubber gloves or other impervious gloves.
Skin and Body Protection	Suitable protective clothing.
Respiratory Protection	Ensure adequate ventilation, especially in confined areas.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical state	Liquid		
Appearance	White opaque solution	Odour	No scent No fragrance added
Colour	White	Odour Threshold	Not determined
<u>Property</u> pH Melting point / freezing point Boiling point / boiling range	<u>Values</u> 7.4-7.8 (Conc.) Use Dilution: 7.4-7.8 Not determined 100 °C / 212 °F	<u>Remarks</u> • Method	
Flash point	None 1.0	Tag Closed Cup	
Evaporation Rate Flammability (Solid, Gas) Flammability Limit in Air	Liquid- Not Applicable	(n-BuAc =1)	
Upper flammability or explosive limits	Not determined		
Lower flammability or explosive limits	Not determined		
Vapour Pressure Vapour Density Relative Density Water Solubility Solubility(ies) Partition Coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic Viscosity Explosive Properties Oxidising Properties	Not determined Not determined 1.02 Miscible in water Not determined Not determined Not determined Not determined Not determined Not determined Not determined Not determined Not determined		

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Not reactive under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of Hazardous Reactions

Hazardous Polymerisation

Hazardous polymerisation does not occur.

Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to Avoid

Keep out of reach of children.

10.5. Incompatible Materials

Acids. Strong alkalis. Heavy metal salts.

10.6. Hazardous Decomposition Products

Phosphorous oxides. Carbon oxides. Nitrogen oxides (NOx).

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects

Acute toxicity

Product Information

Inhalation	Do not inhale.
Eye Contact	Avoid contact with eyes.
Skin Contact	Avoid contact with skin.
Ingestion	Do not ingest.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	35,513.80 mg/kg
ATEmix (dermal)	37,537.71 mg/kg
ATEmix (inhalation-dust/mist)	54.49 mg/L
Unknown Acute Toxicity	

49.1 % of the mixture consists of ingredient(s) of unknown toxicity.

49.1 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

49.1 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

49.1 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

49.1 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapour).

49.1 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Di(ethylene glycol) ethyl ether	= 10502 mg/kg (Rat)	= 4200 µL/kg (Rabbit)= 9143 mg/kg (Rabbit)= 6 mL/kg (Rat)	> 5240 mg/m³ (Rat)4 h
tributoxyethyl phosphate	= 3 g/kg (Rat)	> 16 mL/kg (Rabbit)	> 6.4 mg/L (Rat)4 h
Alkyloxypolyethyleneoxyethanol	= 2100 mg/kg (Rat)		

Skin corrosion/irritation	Not classified.
Serious eye damage/eye irritation	Not classified.
Sensitisation	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.
Reproductive toxicity	Not classified.
STOT - single exposure	Not classified.
STOT - repeated exposure	Not classified.
Aspiration hazard	Not classified.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Di(ethylene glycol) ethyl ether		13400: 96 h Salmo gairdneri mg/L	3940 - 4670: 48 h Daphnia magna
		LC50 flow-through 10000: 96 h	mg/L EC50
		Lepomis macrochirus mg/L LC50	
		static 19100 - 23900: 96 h Lepomis	
		macrochirus mg/L LC50 flow-	
		through 11400 - 15700: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		flow-through 11600 - 16700: 96 h	
		Pimephales promelas mg/L LC50	
		flow-through	

12.2. Persistence and Degradability

Not determined.

12.3. Bioaccumulative Potential

Chemical name	Partition coefficient
Di(ethylene glycol) ethyl ether	-0.8

12.4. Mobility in Soil

Mobility

Not determined.

12.5. Results of PBT and vPvB Assessment

Not determined.

12.6. Other Adverse Effects

Not determined.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Waste from residues/unused products	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Improper disposal or reuse of this container may be dangerous and illegal.

Improper disposal or reuse of this container may be dangerous and illegal.

Section 14: TRANSPORT INFORMATION

IMDG_ 14.2 Proper Shipping Name	Not regulated
<u>RID</u> 14.2 Proper Shipping Name	Not regulated
ADR_ 14.2 Proper Shipping Name	Not regulated
IATA 14.2 Proper Shipping Name	Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Di(ethylene glycol) ethyl ether 111-90-0	RG 84	

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

<u>Authorisations and/or restrictions on use:</u> This product does not contain substances subject to 7uthorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

International Inventories

Not determined.

Component	TSCA	DSL/NDSL	EINECS/ELIN CS	PICCS	ENCS	IECSC	AICS	KECL
Styrene acrylic polymer (<50)	Х	X	-	Х	Х	Х	Х	Х
Di(ethylene glycol) ethyl ether 111-90-0 (4.9)	Х	X	Х	Х	X	X	X	X
tributoxyethyl phosphate 78-51-3 (<3)	Х	X	Х	Х	X	X	X	X
Alkyloxypolyethyleneox yethanol 84133-50-6 (<1)	Х	X	-	Х	-	X	Х	Х

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

Not applicable

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend	Section 8: EXPOS	Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION			
TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)		
Ceiling	Maximum limit value	*	Skin designation		
Classificatio Calculation m					
Issue Date:	08-May-2012				
Revision Dat	e: 19-May-2020				
Revision Not	e: New format.				

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2015/830

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet