

SANICARE TBX[™]

DISINFECTANT/CLEANER/DEODORIZER



Available Packaging



Sanicare TBX kills SARS-CoV-2 (the Coronavirus that causes COVID-19) on hard non-porous surfaces in just 1 minute!

Using AOAC test methods, in the presence of 5% blood serum and a 3 minute contact time, unless otherwise noted, Sanicare TBX kills the following organisms on hard non-porous inanimate surfaces:

BACTERICIDAL ACTIVITY:

Staphylococcus aureus, Salmonella (choleraesuis) enterica, Escherichia coli, Pseudomonas aeruginosa, Escherichia coli 0157:H7, Listeria monocytogenes, Yersinia enterocolitica, Enterococcus faecium, Corynebacterium ammoniagenes, Salmonella (typhi) enterica, Shigella flexneri, Corynebacterium bovis, Shigella dysenteriae, and Streptococcus pyogenes.

ANTIBIOTIC-RESISTANT BACTERICIDAL ACTIVITY:

Methicillin resistant Staphylococcus aureus (MRSA); Vancomycin intermediate resistant Staphylococcus aureus (VISA); Vancomycin resistant Enterococcus faecalis (VRE); Methicillin resistant Staphylococcus epidermidis (MRSE); Community Associated Methicillin resistant Staphylococcus aureus (CA-MRSA), (NRS 123) Genotype USA400; Community Associated Methicillin resistant Staphylococcus aureus (CA-MRSA), (NRS 384) Genotype USA300.

Sanicare TBX is designed specifically as a general, ready-to-use cleaner and disinfectant for use on hard, non-porous surfaces in hospitals, nursing homes, schools, food service establishments, transportation terminals, office buildings, manufacturing facilities, lodging establishments, retail businesses, veterinary clinics, pet shops, animal life science laboratories and athlete/recreational facilities where housekeeping is of prime importance in controlling the hazard of cross contamination. It is formulated to disinfect hard, non-porous, inanimate environmental surfaces: floors, walls, metal surfaces, stainless steel surfaces, glazed porcelain, glazed ceramic tile, plastic surfaces, bathrooms, shower stalls, bathtubs and cabinets. For plastic and painted surfaces, spot test on an inconspicuous area before use. A rinse with potable water is required for surfaces in direct contact with food.

Sanicare TBX deodorizes those areas that are generally hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, basements, restrooms and other areas which are prone to odors caused by microorganisms.

TUBERCULOCIDAL ACTIVITY – This product exhibits disinfectant efficacy against Mycobacterium tuberculosis BCG (Mycobacterium bovis) at 20 degrees Centigrade when the treated surface is allowed to remain wet for 3 minutes.

FUNGICIDAL ACTIVITY - Sanicare TBX is fungicidal against the pathogenic fungus, Trichophyton interdigitale, formerly Trichophyton mentagrophytes (Athlete's Foot Fungus) (a cause of ringworm), when used with a 10 minute contact time on clean, non-porous, hard surfaces as found in bathrooms, shower stalls, locker rooms, or other areas commonly contacted by bare feet.

MILDEWSTAT - To control non-pathogenic mold and mildew on pre-cleaned, hard, non-porous surfaces spray surface to be treated making sure to wet completely. Let air dry. Repeat application at weekly intervals or when mildew growth appears.

†VIRUCIDAL ACTIVITY – Sanicare TBX kills on hard, non-porous inanimate surfaces against:

- · Hepatitis A virus (HAV) (University of Ottawa), Poliovirus Type 1 (ATCC VR-1000), and Canine Parvovirus (ATCC VR-2017), when the treated surface is allowed to remain visibly wet for 10 minutes.
- · Paramyxovirus (Mumps) (ATCC VR-1438), Rotavirus (ATCC VR-2018), and Rhinovirus type 39 (ATCC VR-340), when the treated surface is allowed to remain visibly wet for 3 minutes.
- · Avian Influenza A Virus strain H3N2 (ATCC VR-2072), Avian Influenza A Virus strain H9N2, Human Coronavirus (ATCC VR-740), and SARS associated Coronavirus, when the treated surface is allowed to remain visibly wet for 2 minutes.
- · HIV-1 (associated with AIDS), Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Duck Hepatitis B Virus (DHBV), Bovine Viral Diarrhea Virus (BVDV), SARS-Related Coronavirus 2 (SARS-CoV-2) USA-WA1/2020 BEI NR-52281, Influenza A Virus H1N1 (ATCC CCL-34), when the treated surface is allowed to remain visibly wet for 1
- · Rabies Virus, Norovirus (Norwalk virus), and Feline Calicivirus (ATCC-VR-782), when the treated surface is allowed to remain visibly wet for 30 seconds.



SANICARE TBX

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DISINFECTION, DEODORIZING AND CLEANING -

Remove visible soil prior to application of the product. Hold container six to eight inches from surface to be treated. Allow product to wet the hard non-porous surface for **3 minutes** (for Bloodborne Pathogens: allow surface to remain wet for HIV-1 **1 minute** and for HBV and HCV **1 minute**). No scrubbing is necessary. Wipe off with a clean cloth, mop or sponge or allow to air dry. The product will not leave grit or soap scum.

One-step* cleaning and disinfection of toilet bowls and urinals:

Remove water from bowl by forcing water over trap with a swab mop applicator. Press swab mop against side of the bowl to remove excess water from applicator. Apply 1 to 2 ounces of **Sanicare TBX** evenly, allowing sufficient time for product to cover entire surface of bowl for maximum cleaning. Swab bowl completely using a scrub brush or toilet mop, making sure to get under the rim. Let stand for **3 minutes** (for Bloodborne Pathogens: allow surface to remain wet for HIV-1 **1minute** and for HBV and HCV **1 minute**) and flush. If water cannot be removed from toilet, use product on the external surface and above waterline only.

*when used according to disinfection directions

EFFICACY TESTS HAVE DEMONSTRATED THAT THIS PRODUCT IS AN EFFECTIVE BACTERICIDE, FUNGICIDE, AND VIRUCIDE[†] IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM).

TECHNICAL SPECIFICATIONS	
рН	11.7 ± 0.2
Specific Gravity	1.01
Color	Pale Clear Yellow
Odor	Lemon
Freeze-Thaw Stability	Unaffected

EPA REG. NO. 1839-83-559

DIN: 02258226

EPA EST. NO. 559-MO-1

For more information about Sanicare TBX, scan this code.

