



Safety Data Sheet

Issue Date: 27-Dec-2011

Revision Date: 06-Jul-2018

Version 2

1. IDENTIFICATION

Product Identifier

Product Name Buckeye Base Hit

Other means of identification

SDS # BE-5545-CA

Product Code 5545
Synonyms None

UN/ID No UN1950

Recommended use of the chemical and restrictions on use

Recommended Use Aerosol Baseboard Stripper

Uses Advised Against No information available

Details of the supplier of the safety data sheet

Initial Supplier Identifier

THIS SAFETY DATA SHEET
IS NOT COMPLIANT UNLESS
CANADIAN ADDRESS IS USED

United States Supplier Address

Buckeye International, Inc.
2700 Wagner Place
Maryland Heights, MO 63043 USA
1-314-291-1900

24 hr. Emergency Telephone Numbers

TRANSPORTATION - INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

MEDICAL - 1-651-632-8956 (International) 1-800-303-0441 (North America)

2. HAZARDS IDENTIFICATION

Appearance White foam

Physical state Aerosol

Odor Mild No fragrance added

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Germ cell mutagenicity	Category 1B
Gases under pressure	Compressed Gas
Flammable Aerosols	Category 1

Label Elements

Signal word**Danger****Hazard statements**

Causes skin irritation

Causes serious eye damage

May cause genetic defects

Contains gas under pressure; may explode if heated

Extremely flammable aerosol

**Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Do not spray on an open flame or other ignition source

Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor

IF ON SKIN: Wash with plenty of water and soap

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

Precautionary Statements - Storage

Store locked up

Protect from sunlight. Store in a well-ventilated place

Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Information

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical Name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Petroleum gases, liquified, sweetened	68476-86-8	14	-	-
Butoxypropanol	5131-66-8	9	-	-
Monoethanolamine	141-43-5	3	-	-

4. FIRST AID MEASURES

First Aid Measures

General advice	If exposed or concerned: Get medical advice/attention.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If irritation develops or persists seek medical attention.
Skin contact	Wash skin with soap and water. Take off contaminated clothing and wash before reuse. If irritation persists, seek medical attention.
Inhalation	Remove to fresh air.
Ingestion	Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects

Symptoms	Causes skin irritation. Causes serious eye irritation. Prolonged breathing of vapors may cause nausea, headache, weakness and/or dizziness.
-----------------	---

Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Carbon dioxide (CO ₂). Foam. Dry chemical.
Unsuitable extinguishing media	Not determined.
Specific hazards arising from the chemical	Product is an extremely flammable aerosol. Do not expose to temperatures exceeding 50 °C/122°F. In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous Combustion Products	Carbon oxides. Nitrogen oxides (NO _x).
Explosion Data	
Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up with mop, wet/dry vac, or absorbent material. Rinse area with clear water and allow floor to dry before allowing traffic.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Wash face, hands and any exposed skin thoroughly after handling. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not puncture or incinerate cans. Do not contaminate water, food, or feed by storage or disposal. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Store away from heat, sparks, flame. Store at room temperature. Keep from freezing. Store locked up. Do not puncture or incinerate container. Do not expose to temperatures exceeding 50°C/122°F.

Incompatible materials Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical Name	Canada - Alberta - Occupational Exposure Limits - Ceilings	Canada - British Columbia - Occupational Exposure Limits - Ceilings	Canada - Ontario - Occupational Exposure Limits - Ceilings	Quebec
Monoethanolamine 141-43-5	TWA: 3 ppm TWA: 7.5 mg/m ³ STEL: 6 ppm STEL: 15 mg/m ³	TWA: 3 ppm STEL: 6 ppm	TWA: 3 ppm STEL: 6 ppm	TWA: 3 ppm TWA: 7.5 mg/m ³ STEL: 6 ppm STEL: 15 mg/m ³

Appropriate engineering controls

Engineering controls Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/face protection Risk of contact: Wear approved safety goggles.

Skin and body protection Wear rubber gloves or other impervious gloves.

Respiratory protection No protection is ordinarily required under normal conditions of use and with adequate ventilation.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

Physical state Aerosol
Appearance White foam
Color White
Odor Mild No fragrance added
Odor Threshold No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	11.8 - 12.2 (conc. and use dilution)	
Melting point / freezing point	Not determined	
Boiling Point / Boiling Range	Not determined	
Flash Point	No flame extension, ASTM D3065	
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	Not determined	
Flammability Limit in Air		
Upper Flammability Limit	Not applicable	
Lower Flammability Limit	Not applicable	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Relative Density	1.00	
Water Solubility	Not determined	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Autoignition temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive properties	No information available.	
Oxidizing properties	No information available.	
<u>Other Information</u>		
Softening Point	No information available	
Molecular weight	No information available	
VOC Content (%)	No information available	
Density	No information available	
Bulk Density	No information available	

10. STABILITY AND REACTIVITY

Reactivity	Not reactive under normal conditions.
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous Polymerization	Hazardous polymerization does not occur.
Conditions to Avoid	Keep separated from incompatible substances. Avoid heat, sparks, open flames and other ignition sources. Keep out of reach of children.
Incompatible Materials	Strong oxidizing agents.
Hazardous Decomposition Products	Carbon oxides. Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye contact	Causes serious eye damage.
Skin contact	Causes skin irritation.
Inhalation	Avoid breathing vapors or mists.
Ingestion	Do not ingest.

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Numerical measures of toxicity

Not determined

Unknown acute toxicity No information available

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Butoxypropanol 5131-66-8	= 1900 mg/kg (Rat) = 5660 µL/kg (Rat)	= 3100 mg/kg (Rabbit)	-
Monoethanolamine 141-43-5	= 1720 mg/kg (Rat)	= 1 mL/kg (Rabbit) = 1000 mg/kg (Rabbit)	-
Potassium Oleate 143-18-0	> 5 g/kg (Rat)	> 2 g/kg (Rat)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Germ cell mutagenicity May cause genetic defects.

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

12. ECOLOGICAL INFORMATION

Ecotoxicity Harmful to aquatic life with long lasting effects.

Persistence/Degradability No information available.

Bioaccumulation .

Mobility .

Chemical Name	Partition Coefficient
Petroleum gases, liquified, sweetened 68476-86-8	<=2.8
Monoethanolamine 141-43-5	-1.91

Other Adverse Effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances

DOT

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1

TDG

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1

IATA

UN/ID No UN1950
Proper Shipping Name Aerosols, flammable
Hazard Class 2.1

IMDG

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1

15. REGULATORY INFORMATION

REGULATORY INFORMATION

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Petroleum gases, liquified, sweetened	X	X	X		X	X	X	X
Butoxypropanol	X	X	X	X	X	X	X	X
Monoethanolamine	X	X	X	X	X	X	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health Hazards 1	Flammability 0	Instability 1	Special Hazards Not determined
<u>HMIS</u>	Health Hazards Not determined	Flammability Not determined	Physical hazards Not determined	Personal Protection Not determined

Chronic Hazard Star Legend

* = Chronic Health Hazard

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average)

STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value

* Skin designation

Issue Date: 27-Dec-2011

Revision Date: 06-Jul-2018

Revision Note: Canadian Format.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet