



Safety Data Sheet

Issue Date: 27-Dec-2011

Revision Date: 06-May-2019

Version 4

1. IDENTIFICATION

Product identifier

Product Name Buckeye Blue

Other means of identification

SDS # BE-5001

Product Code 5001

Recommended use of the chemical and restrictions on use

Recommended Use All Purpose Cleaner, Water Based.

Details of the supplier of the safety data sheet

Supplier Address

Buckeye International, Inc.
2700 Wagner Place
Maryland Heights, MO 63043 USA

Emergency telephone number

Company Phone Number

1-651-632-8956 (International)
1-800-303-0441 (North America)

Emergency Telephone

Transportation - INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)
Medical - (International) 1-651-632-8956 (North America) 1-800-303-0441

2. HAZARDS IDENTIFICATION

Appearance Clear blue liquid

Physical state Liquid

Odor Citrus fragrance

Classification

Serious eye damage/eye irritation

Category 1

Signal Word

Danger

Hazard statements

Causes serious eye damage



Precautionary Statements - Prevention

Wear eye/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a POISON CENTER or doctor

Other hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Tetrasodium Ethylenediaminetetraacetate	64-02-8	3-7
Polyethylene glycol octylphenyl ether	9036-19-5	3-7
Sodium Nitrite	7632-00-0	0.1-1
Triethanolamine	102-71-6	0.1-1
Sodium hydroxide	1310-73-2	0.1-1
Poly(ethylene oxide)	25322-68-3	0.1-1
Phosphoric Acid	7664-38-2	0.1-1
Trisodium Nitrilotriacetate	5064-31-3	0.1-1

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
Skin Contact	Wash skin with soap and water.
Inhalation	Remove to fresh air.
Ingestion	Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms	Causes serious eye damage.
-----------------	----------------------------

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

No information available.

Hazardous combustion products Carbon oxides. Nitrogen oxides (NOx).

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

- Personal Precautions** Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
- Other Information** FOR ALL TRANSPORTATION ACCIDENTS CALL INFOTRAC 1-352-323-3500 (International) / 1-800-535-5053 (North America).

Environmental precautions

- Environmental precautions** Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

- Methods for Containment** Prevent further leakage or spillage if safe to do so.
- Methods for Clean-Up** Pick up and transfer to properly labeled containers.
- Prevention of Secondary Hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

- Advice on Safe Handling** Wear eye/face protection.

Conditions for safe storage, including any incompatibilities

- Storage Conditions** Keep container tightly closed and store in a cool, dry and well-ventilated place.
- Incompatible Materials** Strong acids. Strong bases. Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Triethanolamine 102-71-6	TWA: 5 mg/m ³	-	-
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³ (vacated) Ceiling: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³
Phosphoric Acid 7664-38-2	STEL: 3 mg/m ³ TWA: 1 mg/m ³	TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³ (vacated) STEL: 3 mg/m ³	IDLH: 1000 mg/m ³ TWA: 1 mg/m ³ STEL: 3 mg/m ³

Appropriate engineering controls

- Engineering Controls** Showers. Eyewash stations. Ventilation systems.

Individual protection measures, such as personal protective equipment

- Eye/Face Protection** Tight sealing safety goggles.
- Skin and Body Protection** Wear suitable gloves. Wear suitable protective clothing.
- Respiratory Protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General Hygiene Considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid	Odor	Citrus fragrance
Appearance	Clear blue liquid	Odor Threshold	Not determined
Color	Clear blue		
<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>	
pH	11.0-11.4 (conc.) 10.3-10.7 (1:16 dilution)		
Melting point / freezing point	Not determined		
Boiling point / boiling range	100 °C / 212 °F		
Flash point	None	Tag Closed Cup (n-BuAc =1)	
Evaporation Rate	1.0		
Flammability (Solid, Gas)	Liquid-Not applicable		
Flammability Limit in Air			
Upper flammability or explosive limits	Not applicable		
Lower flammability or explosive limits	Not applicable		
Vapor Pressure	Not determined		
Vapor Density	Not determined		
Relative Density	1.04		
Water Solubility	Mostly Soluble		
Solubility in other solvents	Not determined		
Partition Coefficient	Not determined		
Autoignition temperature	Not determined		
Decomposition temperature	Not determined		
Kinematic viscosity	Not determined		
Dynamic Viscosity	Not determined		
Explosive Properties	Not determined		
Oxidizing Properties	Not determined		

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

None known based on information supplied.

Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products

Carbon oxides. Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact	Avoid contact with eyes.
Skin Contact	Avoid contact with skin.
Inhalation	Do not inhale.
Ingestion	Do not ingest.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Tetrasodium Ethylenediaminetetraacetate 64-02-8	= 1658 mg/kg (Rat) = 10 g/kg (Rat)	-	-
Polyethylene glycol octylphenyl ether 9036-19-5	= 1700 mg/kg (Rat) = 4190 mg/kg (Rat)	-	-
Sodium Nitrite 7632-00-0	= 85 mg/kg (Rat)	-	= 5.5 mg/L (Rat) 4 h
Triethanolamine 102-71-6	= 4190 mg/kg (Rat)	> 16 mL/kg (Rat) > 20000 mg/kg (Rabbit)	-
Sodium hydroxide 1310-73-2	140 - 340 mg/kg (Rat)	= 1350 mg/kg (Rabbit)	-
Poly(ethylene oxide) 25322-68-3	= 22 g/kg (Rat) = 28 g/kg (Rat)	> 20 g/kg (Rabbit)	-
Phosphoric Acid 7664-38-2	= 1530 mg/kg (Rat)	= 2740 mg/kg (Rabbit)	> 850 mg/m ³ (Rat) 1 h
Trisodium Nitrilotriacetate 5064-31-3	= 1100 mg/kg (Rat)	-	> 5 mg/L (Rat) 4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Please see section 4 of this SDS for symptoms.
-----------------	--

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Serious eye damage/eye irritation	Causes serious eye damage.
Carcinogenicity	Nitrate or nitrite ingested under conditions that result in endogenous nitrosation are considered IARC group 2A carcinogens. Group 3 IARC components are "not classifiable as human carcinogens".

Chemical name	ACGIH	IARC	NTP	OSHA
Sodium Nitrite 7632-00-0		Group 2A		X
Triethanolamine 102-71-6		Group 3		
Trisodium Nitrilotriacetate 5064-31-3		Group 2B		X

Legend

IARC (International Agency for Research on Cancer)
 Group 2A - Probably Carcinogenic to Humans
 Group 2B - Possibly Carcinogenic to Humans
 Group 3 IARC components are "not classifiable as human carcinogens"
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
 X - Present

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

Oral LD50 5,191.10 mg/kg

ATEmix (inhalation-dust/mist) 268.91 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Tetrasodium Ethylenediaminetetraacetate 64-02-8	1.01: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50	41: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 59.8: 96 h <i>Pimephales promelas</i> mg/L LC50 static	610: 24 h <i>Daphnia magna</i> mg/L EC50
Sodium Nitrite 7632-00-0		0.19: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through 2.3: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 0.65 - 1: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static 20: 96 h <i>Pimephales promelas</i> mg/L LC50 static 0.4 - 0.6: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 semi-static 0.092 - 0.13: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through	
Triethanolamine 102-71-6	169: 96 h <i>Desmodesmus subspicatus</i> mg/L EC50 216: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50	450 - 1000: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 1000: 96 h <i>Pimephales promelas</i> mg/L LC50 static 10600 - 13000: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through	1386: 24 h <i>Daphnia magna</i> mg/L EC50
Sodium hydroxide 1310-73-2		45.4: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static	
Poly(ethylene oxide) 25322-68-3		5000: 24 h <i>Carassius auratus</i> mg/L LC50	
Phosphoric Acid 7664-38-2		3 - 3.5: 96 h <i>Gambusia affinis</i> mg/L LC50	4.6: 12 h <i>Daphnia magna</i> mg/L EC50
Trisodium Nitrioltriacetate 5064-31-3	560 - 1000: 96 h <i>Chlorella vulgaris</i> mg/L EC50	175 - 225: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 560 - 1000: 96 h <i>Oryzias latipes</i> mg/L LC50 470: 96 h <i>Pimephales promelas</i> mg/L LC50 static 560 - 1000: 96 h <i>Poecilia reticulata</i> mg/L LC50 72 - 133: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static 93 - 170: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 114: 96 h <i>Pimephales promelas</i> mg/L LC50 252: 96 h <i>Lepomis macrochirus</i> mg/L LC50 560 - 1000: 96 h <i>Poecilia reticulata</i> mg/L LC50 semi-static 560 - 1000: 96 h <i>Oryzias latipes</i> mg/L LC50 semi-static	560 - 1000: 48 h <i>Daphnia magna</i> mg/L LC50

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Chemical name	Partition coefficient
Sodium Nitrite 7632-00-0	-3.7
Triethanolamine 102-71-6	-2.53

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Sodium Nitrite 7632-00-0	Toxic Ignitable Reactive
Sodium hydroxide 1310-73-2	Toxic Corrosive
Phosphoric Acid 7664-38-2	Corrosive

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION**International Inventories**

Chemical name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Tetrasodium Ethylenediaminetetraacetate	X	X	X	X	X	X	X	X
Polyethylene glycol octylphenyl ether	X	X		X	X	X	X	X
Sodium Nitrite	X	X	X	X	X	X	X	X
Triethanolamine	X	X	X	X	X	X	X	X
Sodium hydroxide	X	X	X	X	X	X	X	X
Poly(ethylene oxide)	X	X	X	X	X	X	X	X
Phosphoric Acid	X	X	X	X	X	X	X	X
Trisodium Nitrilotriacetate	X	X	X	X	X	X	X	X

Legend:*TSCA* - United States Toxic Substances Control Act Section 8(b) Inventory*DSL/NDL* - Canadian Domestic Substances List/Non-Domestic Substances List*EINECS/ELINCS* - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*ENCS* - Japan Existing and New Chemical Substances*IECSC* - China Inventory of Existing Chemical Substances*KECL* - Korean Existing and Evaluated Chemical Substances*PICCS* - Philippines Inventory of Chemicals and Chemical Substances*AICS* - Australian Inventory of Chemical Substances**US Federal Regulations****CERCLA**

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium Nitrite 7632-00-0	100 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ
Sodium hydroxide 1310-73-2	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ
Phosphoric Acid 7664-38-2	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium Nitrite	100 lb			X
Sodium hydroxide	1000 lb			X
Phosphoric Acid	5000 lb			X

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sodium Nitrite 7632-00-0	X	X	X
Triethanolamine 102-71-6	X	X	X
Sodium hydroxide 1310-73-2	X	X	X
Phosphoric Acid 7664-38-2	X	X	X
Trisodium Nitrilotriacetate 5064-31-3		X	

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards	Flammability	Instability	Special Hazards
	3	0	0	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical hazards	Personal Protection
	3 *	Not determined	Not determined	Not determined

Chronic Hazard Star Legend * = *Chronic Health Hazard*

Issue Date: 27-Dec-2011
Revision Date: 06-May-2019
Revision Note: New formula

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet