



Safety Data Sheet

Issue Date: 12-Nov-2012

Revision Date: 11-May-2017

Version 1

1. IDENTIFICATION

Product Identifier

Product Name Buckeye Eco Muscle Cleaner

Other means of identification

SDS # BE-6014-CA

Product Code 6014
Synonyms None

UN/ID No UN1760

Recommended use of the chemical and restrictions on use

Recommended Use Concentrated Spray and Wipe Cleaner, Water Based

Uses Advised Against No information available

Details of the supplier of the safety data sheet

Initial Supplier Identifier

THIS SAFETY DATA SHEET
IS NOT COMPLIANT UNLESS
CANADIAN ADDRESS IS USED

United States Supplier Address

Buckeye International, Inc.
2700 Wagner Place
Maryland Heights, MO 63043 USA
1-314-291-1900

24 hr Emergency Telephone Numbers

TRANSPORTATION - INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

MEDICAL - 1-651-632-8956 (International) 1-800-303-0441 (North America)

2. HAZARDS IDENTIFICATION

Appearance Orange/red solution

Physical state Liquid

Odour None No fragrance added

Classification

Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1

Label Elements

Signal word

Danger

Hazard statements

Causes severe skin burns and eye damage

**Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapours/spray
 Wash face, hands and any exposed skin thoroughly after handling
 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a POISON CENTRE or doctor
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a POISON CENTRE or doctor
 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]
 Wash contaminated clothing before reuse
 IF INHALED: Remove person to fresh air and keep comfortable for breathing
 Immediately call a POISON CENTRE or doctor
 IF SWALLOWED: rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Information

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

Chemical Name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Phenoxyethanol	122-99-6	20	-	-
Benzyl alcohol	100-51-6	20	-	-
Octanoic Acid	124-07-2	10	-	-
Dodecyl benzene sulfonic acid	27176-87-0	4	-	-
Sodium hydroxide	1310-73-2	3	-	-

4. FIRST AID MEASURES

First Aid Measures

Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison centre or doctor/physician.
Skin contact	Remove/take off immediately all contaminated clothing. Rinse skin with water [or shower]. Wash contaminated clothing before reuse. Get medical attention if irritation develops or persists.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison centre or doctor/physician.
Ingestion	Give two large glasses of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention.

Most important symptoms and effects

Symptoms	Causes severe skin burns and eye damage.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Note to doctors	Treat symptomatically.
------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	Not determined.
Specific hazards arising from the chemical	Combustion products may be toxic.
Hazardous Combustion Products	Carbon oxides. Nitrogen oxides (NOx). Sulphur oxides.
Explosion Data	
Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protection recommended in Section 8.
-----------------------------	---

Environmental precautions

Environmental precautions	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.
----------------------------------	--

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
--------------------------------	---

Methods for cleaning up	Pick up with mop, wet/dry vac, or absorbent material. Rinse area with clear water and allow floor to dry before allowing traffic.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Wash face, hands and any exposed skin thoroughly after handling. Do not breathe dust/fume/gas/mist/vapours/spray. Keep containers closed when not in use.
--------------------------------	---

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep container tightly closed and store in a cool, dry and well-ventilated place. Store at room temperature. Store locked up.
Packaging materials	May damage some plastics.
Incompatible materials	Chlorine bleach

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical Name	Canada - Alberta - Occupational Exposure Limits - Ceilings	Canada - British Columbia - Occupational Exposure Limits - Ceilings	Canada - Ontario - Occupational Exposure Limits - Ceilings	Quebec
Phenoxyethanol 122-99-6			TWA: 25 ppm TWA: 141 mg/m ³ Skin	
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³	CEV: 2 mg/m ³	Ceiling: 2 mg/m ³

Appropriate engineering controls

Engineering controls	Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.
-----------------------------	---

Individual protection measures, such as personal protective equipment

Eye/face protection	Use safety glasses or chemical splash goggles.
Skin and body protection	Wear rubber gloves or other impervious gloves.
Respiratory protection	No protection is ordinarily required under normal conditions of use and with adequate ventilation.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Orange/red solution
Colour	Red-orange
Odour	None No fragrance added
Odour Threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	10.4 ± 0.2 (conc) 10.2 ± 0.2 (1:6 dilution)	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	100 °C / 212 °F	
Flash Point	None	Tag Closed Cup
Evaporation Rate	1.0	(Water = 1)
Flammability (Solid, Gas)	Liquid-Not applicable	
Flammability Limits in Air		
Upper Flammability Limits	Not applicable	
Lower Flammability Limit	Not applicable	
Vapour Pressure	Not determined	
Vapour Density	Not determined	
Relative Density	1.058	(1=Water)
Water Solubility	Infinite	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not applicable	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive properties	No information available.	
Oxidising properties	No information available.	
<u>Other Information</u>		
Softening Point	No information available	
Molecular weight	No information available	
VOC Content (%)	No information available	
Density	No information available	
Bulk Density	No information available	

10. STABILITY AND REACTIVITY

Reactivity	Not reactive under normal conditions.
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous Polymerisation	Hazardous polymerisation does not occur.
Conditions to Avoid	Keep separated from incompatible substances. Keep out of reach of children.
Incompatible Materials	Chlorine bleach.
Hazardous Decomposition Products	Carbon oxides. Nitrogen oxides (NOx). Sulphur oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye contact	Causes severe eye damage.
Skin contact	Causes severe skin burns.
Inhalation	Avoid breathing vapours or mists.
Ingestion	May be harmful if swallowed.

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Numerical measures of toxicity

Not determined

Acute Toxicity

Unknown acute toxicity No information available

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Phenoxyethanol 122-99-6	= 1260 mg/kg (Rat)	= 5 mL/kg (Rabbit)	-
Benzyl alcohol 100-51-6	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	= 8.8 mg/L (Rat) 4 h
Octanoic Acid 124-07-2	= 10080 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
Dodecyl benzene sulfonic acid 27176-87-0	= 1260 mg/kg (Rat)	631 - 1000 mg/kg (Rabbit)	-
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

12. ECOLOGICAL INFORMATION

Ecotoxicity Harmful to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Phenoxyethanol 122-99-6	500: 72 h Desmodesmus subspicatus mg/L EC50	220 - 460: 96 h Leuciscus idus mg/L LC50 static 366: 96 h Pimephales promelas mg/L LC50 static 337 - 352: 96 h Pimephales promelas mg/L LC50 flow-through	EC50 = 32.4 mg/L 5 min EC50 = 880 mg/L 17 h	500: 48 h Daphnia magna mg/L EC50
Benzyl alcohol 100-51-6	35: 3 h Anabaena variabilis mg/L EC50	10: 96 h Lepomis macrochirus mg/L LC50	EC50 = 50 mg/L 5 min EC50 = 63.7 mg/L 15 min	23: 48 h water flea mg/L EC50

		static 460: 96 h Pimephales promelas mg/L LC50 static	EC50 = 63.7 mg/L 5 min EC50 = 71.4 mg/L 30 min	
Octanoic Acid 124-07-2	-	110: 96 h Brachydanio rerio mg/L LC50 semi- static 310: 96 h Oryzias latipes mg/L LC50 semi- static	-	170: 24 h Daphnia magna mg/L EC50
Dodecyl benzene sulfonic acid 27176-87-0	29: 96 h Pseudokirchneriella subcapitata mg/L EC50	10.8: 96 h Oncorhynchus mykiss mg/L LC50 static 3.5 - 10: 96 h Brachydanio rerio mg/L LC50 static	-	5.88: 48 h Daphnia magna mg/L EC50
Sodium hydroxide 1310-73-2	-	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	-	-

Persistence/Degradability No information available.

Bioaccumulation No information available.

Mobility .

Chemical Name	Partition Coefficient
Phenoxyethanol 122-99-6	1.13
Benzyl alcohol 100-51-6	1.1
Octanoic Acid 124-07-2	2.92

Other Adverse Effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. TRANSPORT INFORMATION

DOT

UN/ID No UN1760
Proper Shipping Name Corrosive liquid, n.o.s. (Octanoic acid, Sodium hydroxide)
Hazard Class 8
Packing Group III

TDG

UN/ID No UN1760
Proper Shipping Name Corrosive liquid, n.o.s. (Octanoic acid, Sodium hydroxide)
Hazard Class 8
Packing Group III

IATA

UN/ID No UN1760
 Proper Shipping Name Corrosive liquid, n.o.s. (Octanoic acid, Sodium hydroxide)
 Hazard Class 8
 Packing Group III

IMDG

UN/ID No UN1760
 Proper Shipping Name Corrosive liquid, n.o.s. (Octanoic acid, Sodium hydroxide)
 Hazard Class 8
 Packing Group III

15. REGULATORY INFORMATION

REGULATORY INFORMATION**International Regulations**

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

Chemical Name	TSCA	DSL/NDL	EINECS/ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Phenoxyethanol	X	X	X	Present	X	Present	X	X
Benzyl alcohol	X	X	X	Present	X	Present	X	X
Octanoic Acid	X	X	X	Present	X	Present	X	X
Dodecyl benzene sulfonic acid	X	X	X	Present	X	Present	X	X
Sodium hydroxide	X	X	X	Present	X	Present	X	X

Legend:**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**AICS** - Australian Inventory of Chemical Substances

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health Hazards 2	Flammability 0	Instability 0	Special Hazards Not determined
<u>HMIS</u>	Health Hazards Not determined	Flammability Not determined	Physical hazards Not determined	Personal Protection Not determined

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value
*	Skin designation
Issue Date:	12-Nov-2012

Revision Date: 11-May-2017

Revision Note: Canadian format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet