



Safety Data Sheet

Issue Date: 27-Dec-2011

Revision Date: 02-Nov-2017

Version 2

1. IDENTIFICATION

Product Identifier

Product Name Buckeye Eco Neutral Disinfectant

Other means of identification

SDS # BE-6023-CA

Product Code 6023
Synonyms None

UN/ID No UN1760

Recommended use of the chemical and restrictions on use

Recommended Use Cleaner Disinfectant Water based

Uses Advised Against No information available

Details of the supplier of the safety data sheet

Initial Supplier Identifier

United States Supplier Address

Buckeye International, Inc.
2700 Wagner Place
Maryland Heights, MO 63043 USA
1-314-291-1900

24 hr Emergency Telephone Numbers

TRANSPORTATION - INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

MEDICAL - 1-651-632-8956 (International) 1-800-303-0441 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear green liquid

Physical state Liquid

Odour Clean and fresh fragrance

Classification

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

Label Elements

Signal word**Danger****Hazard statements**

Harmful if swallowed

Causes severe skin burns and eye damage

**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust/fume/gas/mist/vapours/spray

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTRE or doctor

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Immediately call a POISON CENTRE or doctor

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Information

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical Name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Didecyldimethylammonium chloride	7173-51-5	12	-	-
Alkyl dimethyl benzyl ammonium chloride (C12-16)	68424-85-1	10	-	-
N,N-DIMETHYLOCTYLAMINE-N-OXIDE	2605-78-9	5	-	-
Ethyl Alcohol	64-17-5	5	-	-
EDTA	60-00-4	5	-	-

4. FIRST AID MEASURES

First Aid Measures

General advice	Call a poison centre or doctor immediately for treatment advice.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek immediate medical attention/advice.
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing. Wash contaminated clothing before reuse.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration.
Ingestion	Have person sip a glass of water if able to swallow. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

Most important symptoms and effects

Symptoms	Contact may cause irritation and redness. Direct eye contact may cause stinging, tearing and redness. May cause redness, pain, and severe skin burns. May cause irritation to the mucous membranes and upper respiratory tract. Ingestion may cause nausea and headache.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Note to doctors	Treat symptomatically. If the product is ingested, probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsions may be needed.
------------------------	---

5. FIREFIGHTING MEASURES

Suitable Extinguishing Media	Water spray (fog). Dry powder. Foam.
Unsuitable extinguishing media	Not determined.
Specific hazards arising from the chemical	Toxic fumes may be given off when material is exposed to fire.
Hazardous Combustion Products	Carbon oxides. Nitrogen oxides (NOx). Hydrogen chloride.

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required.

Environmental precautions

Environmental precautions Collect spillage.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up with mop, wet/dry vac, or absorbent material. Rinse area with clear water and allow floor to dry before allowing traffic.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Keep out of the reach of children. Use personal protection recommended in Section 8. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid release to the environment.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store at room temperature. Keep container closed when not in use. Do not contaminate water, food, or feed by storage or disposal.

Packaging materials Rinse container before discarding.
Incompatible materials Chlorine bleach Anionic detergents Strong oxidising agents Strong reducing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical Name	Canada - Alberta - Occupational Exposure Limits - Ceilings	Canada - British Columbia - Occupational Exposure Limits - Ceilings	Canada - Ontario - Occupational Exposure Limits - Ceilings	Quebec
Ethyl Alcohol 64-17-5	TWA: 1000 ppm TWA: 1880 mg/m ³	STEL: 1000 ppm	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1880 mg/m ³

Appropriate engineering controls

Engineering controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Splash goggles or safety glasses.

Skin and body protection Rubber gloves. Normal work clothing (long sleeved shirts and long pants) is recommended.

Respiratory protection If necessary, refer to appropriate regulations and standards.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Wash hands thoroughly after handling. Wash contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid
Appearance Clear green liquid
Colour Green
Odour Clean and fresh fragrance
Odour Threshold No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	7.6 ± 0.2 (conc) 7.0 ± 0.2 (1:256 dilution)	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	100 °C / 212 °F	
Flash Point	~ 93.3 °C / 200 °F	Tag Closed Cup
Evaporation Rate	1.0	(Water = 1)
Flammability (Solid, Gas)	n/a-liquid	
Flammability Limits in Air		
Upper Flammability Limits	Not applicable	
Lower Flammability Limit	Not applicable	
Vapour Pressure	Not determined	
Vapour Density	Not determined	
Relative Density	1.00	
Water Solubility	Infinite	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive properties	No information available.	
Oxidising properties	No information available.	

Other Information

Softening Point No information available
Molecular weight No information available
VOC Content (%) No information available
Density No information available
Bulk Density No information available

10. STABILITY AND REACTIVITY

Reactivity Not reactive under normal conditions.

Chemical Stability Stable under normal conditions.

Possibility of Hazardous Reactions	None under normal processing.
Hazardous Polymerisation	Hazardous polymerisation does not occur.
Conditions to Avoid	Keep out of reach of children.
Incompatible Materials	Chlorine bleach. Anionic detergents. Strong oxidising agents. Strong reducing agents.
Hazardous Decomposition Products	Thermal decomposition can lead to release of irritating gases or vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye contact	Causes severe eye damage.
Skin contact	Causes severe skin burns.
Inhalation	Avoid breathing vapours or mists.
Ingestion	Harmful if swallowed.

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Numerical measures of toxicity

Not determined

Acute Toxicity

Unknown acute toxicity No information available

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Didecyldimethylammonium chloride 7173-51-5	= 84 mg/kg (Rat)	-	-
Alkyl dimethyl benzyl ammonium chloride (C12-16) 68424-85-1	= 426 mg/kg (Rat)	-	-
Ethyl Alcohol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h
EDTA 60-00-4	= 1700 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed as an alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl Alcohol 64-17-5	A3	Group 1	Known	X

Legend**ACGIH (American Conference of Governmental Industrial Hygienists)**

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labour)

X - Present

12. ECOLOGICAL INFORMATION**Ecotoxicity** Toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethyl Alcohol 64-17-5	-	13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static 12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static	-	10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static 9268 - 14221: 48 h Daphnia magna mg/L LC50
EDTA 60-00-4	1.01: 72 h Desmodesmus subspicatus mg/L EC50	34 - 62: 96 h Lepomis macrochirus mg/L LC50 static 44.2 - 76.5: 96 h Pimephales promelas mg/L LC50 static	-	113: 48 h Daphnia magna mg/L EC50 Static

Persistence/Degradability No information available.**Bioaccumulation** No information available.**Mobility** .

Chemical Name	Partition Coefficient
Ethyl Alcohol 64-17-5	-0.32

Other Adverse Effects No information available.**13. DISPOSAL CONSIDERATIONS****Waste Treatment Methods****Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.**Contaminated packaging** Do not reuse empty containers.**14. TRANSPORT INFORMATION****Note** Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances

DOT

UN/ID No UN1760
 Proper Shipping Name Corrosive liquids, n.o.s. (Alkyldimethylbenzyl ammonium chloride)
 Hazard Class 8
 Packing Group II

TDG

UN/ID No UN1760
 Proper Shipping Name Corrosive liquids, n.o.s. (Alkyldimethylbenzyl ammonium chloride)
 Hazard Class 8
 Packing Group II

IATA

UN/ID No UN1760
 Proper Shipping Name Corrosive liquids, n.o.s. (Alkyldimethylbenzyl ammonium chloride)
 Hazard Class 8
 Packing Group II

IMDG

UN/ID No UN1760
 Proper Shipping Name Corrosive liquids, n.o.s. (Alkyldimethylbenzyl ammonium chloride)
 Hazard Class 8
 Packing Group II

15. REGULATORY INFORMATION

REGULATORY INFORMATION**International Regulations**

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Didecyldimethylammonium chloride	X	X	X	Present	X	Present	X	X
Alkyl dimethyl benzyl ammonium chloride (C12-16)	X	X	X	Present	X	Present	X	X
N,N-DIMETHYLOCTYLAMINE-N-OXIDE	X	X		Present	X		X	
Ethyl Alcohol	X	X	X	Present	X	Present	X	X
EDTA	X	X	X	Present	X	Present	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health Hazards 3	Flammability 1	Instability 0	Special Hazards Not determined
HMIS	Health Hazards Not determined	Flammability Not determined	Physical hazards Not determined	Personal Protection Not determined

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value
*	Skin designation
Issue Date:	27-Dec-2011

Revision Date: 02-Nov-2017

Revision Note: Canadian Format.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet