



# Safety Data Sheet

Issue Date: 27-Dec-2011

Revision Date: 22-May-2017

Version 1

## 1. IDENTIFICATION

### Product Identifier

**Product Name** Buckeye Penetrate

### Other means of identification

**SDS #** BE-5023-CA

**Product Code** 5023  
**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended Use** Floor Finish Stripper, Water Based

**Uses Advised Against** No information available

### Details of the supplier of the safety data sheet

#### Initial Supplier Identifier

THIS SAFETY DATA SHEET  
IS NOT COMPLIANT UNLESS  
CANADIAN ADDRESS IS USED

#### United States Supplier Address

Buckeye International, Inc.  
2700 Wagner Place  
Maryland Heights, MO 63043 USA  
1-314-291-1900

### 24 HR Emergency Telephone Numbers

TRANSPORTATION - INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

MEDICAL - 1-651-632-8956 (International) 1-800-303-0441(North America)

## 2. HAZARDS IDENTIFICATION

**Appearance** Clear liquid

**Physical state** Liquid

**Odour** No scent No fragrance added

### Classification

Serious eye damage/eye irritation

Category 2

### Label Elements

#### Signal word

Warning

#### Hazard statements

Causes serious eye irritation

**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling  
Wear eye/face protection

**Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
If eye irritation persists: Get medical advice/attention

**Other Information**

Harmful to aquatic life with long lasting effects

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Substance**

Not applicable.

**Mixture**

Chemical Name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Ethylene glycol monophenyl ether	122-99-6	10	-	-
Benzyl alcohol	100-51-6	10	-	-
Monoethanolamine	141-43-5	7.5	-	-
Octanoic Acid	124-07-2	5	-	-

### 4. FIRST AID MEASURES

**First Aid Measures****Eye contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a doctor if irritation persists.

**Skin contact**

Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation persists, call a doctor.

**Inhalation**

Remove to fresh air.

**Ingestion**

Drink 2-3 large glasses of water. Do NOT induce vomiting. Call a doctor immediately. Never give anything by mouth to an unconscious person.

**Most important symptoms and effects**

**Symptoms** Contact will cause irritation and redness to exposed areas. May cause redness, pain, and severe skin burns. Ingestion may cause nausea and headache. Can cause defatting of skin tissue.

**Indication of any immediate medical attention and special treatment needed**

**Note to doctors** Treat symptomatically. Dermatitis or other pre-existing skin conditions may be aggravated by overexposure to this product.

## 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media** Not determined.

**Specific hazards arising from the chemical** Combustion products may be toxic.

**Hazardous Combustion Products** Carbon oxides. Oxides of sulphur. Nitrogen oxides (NOx).

**Explosion Data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**Special protective equipment for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Use personal protection recommended in Section 8.

**Environmental precautions**

**Environmental precautions** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up with mop, wet/dry vac, or absorbent material. Rinse area with clear water and allow floor to dry before allowing traffic.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Wash face, hands and any exposed skin thoroughly after handling.

**Conditions for safe storage, including any incompatibilities**

<b>Storage Conditions</b>	Keep containers tightly closed in a dry, cool and well-ventilated place. Store at room temperature. Store away from incompatible materials. Store on low shelves.
<b>Packaging materials</b>	Rinse container before discarding.
<b>Incompatible materials</b>	Chlorine bleach Acids

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Control parameters****Exposure Limits**

Chemical Name	Canada - Alberta - Occupational Exposure Limits - Ceilings	Canada - British Columbia - Occupational Exposure Limits - Ceilings	Canada - Ontario - Occupational Exposure Limits - Ceilings	Quebec
Ethylene glycol monophenyl ether 122-99-6			TWA: 25 ppm TWA: 141 mg/m <sup>3</sup> Skin	
Monoethanolamine 141-43-5	TWA: 3 ppm TWA: 7.5 mg/m <sup>3</sup> STEL: 6 ppm STEL: 15 mg/m <sup>3</sup>	TWA: 3 ppm STEL: 6 ppm	TWA: 3 ppm STEL: 6 ppm	TWA: 3 ppm TWA: 7.5 mg/m <sup>3</sup> STEL: 6 ppm STEL: 15 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering controls** Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** Splash goggles or safety glasses.

**Skin and body protection** Wear suitable protective clothing.

**Respiratory protection** Ensure adequate ventilation, especially in confined areas.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties**

<b>Physical state</b>	Liquid
<b>Appearance</b>	Clear liquid
<b>Colour</b>	No information available
<b>Odour</b>	No scent No fragrance added
<b>Odour Threshold</b>	No information available

<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks • Method</u></b>
<b>pH</b>	10.5 ± 0.2 (conc) 10.1 ± 0.2 (1:4 dilution)	
<b>Melting Point/Freezing Point</b>	Not determined	
<b>Boiling Point/Boiling Range</b>	100 °C / 212 °F	

Flash Point	None	
Evaporation Rate	1.0	(Water = 1)
Flammability (Solid, Gas)	Liquid-Not applicable	
Flammability Limits in Air		
Upper Flammability Limits	Not applicable	
Lower Flammability Limit	Not applicable	
Vapour Pressure	Not determined	
Vapour Density	Not determined	
Relative Density	1.02	
Water Solubility	Infinite	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive properties	No information available.	
Oxidising properties	No information available.	
<b><u>Other Information</u></b>		
Softening Point	No information available	
Molecular weight	No information available	
VOC Content (%)	No information available	
Density	No information available	
Bulk Density	No information available	

## 10. STABILITY AND REACTIVITY

Reactivity	Not reactive under normal conditions.
Chemical Stability	Stable under normal conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous Polymerisation	Hazardous polymerisation does not occur.
Conditions to Avoid	Keep separated from incompatible substances. Keep out of reach of children.
Incompatible Materials	Chlorine bleach. Acids.
Hazardous Decomposition Products	Oxides of sulphur. Carbon oxides. Nitrogen oxides (NOx).

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

Eye contact	Causes serious eye irritation.
Skin contact	Avoid contact with skin.
Inhalation	Avoid breathing vapours or mists.
Ingestion	Do not ingest.

**Information on physical, chemical and toxicological effects**

**Symptoms** Please see section 4 of this SDS for symptoms.

**Numerical measures of toxicity**

Not determined

**Acute Toxicity**

**Unknown acute toxicity** No information available

**Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethylene glycol monophenyl ether 122-99-6	= 1260 mg/kg ( Rat )	= 5 mL/kg ( Rabbit )	-
Benzyl alcohol 100-51-6	= 1230 mg/kg ( Rat )	= 2 g/kg ( Rabbit )	= 8.8 mg/L ( Rat ) 4 h
Monoethanolamine 141-43-5	= 1720 mg/kg ( Rat )	= 1 mL/kg ( Rabbit ) = 1000 mg/kg ( Rabbit )	-
Octanoic Acid 124-07-2	= 10080 mg/kg ( Rat )	> 5 g/kg ( Rabbit )	-

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Carcinogenicity** Based on available data, the classification criteria are not met.

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethylene glycol monophenyl ether 122-99-6	500: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50	220 - 460: 96 h <i>Leuciscus idus</i> mg/L LC50 static 366: 96 h <i>Pimephales promelas</i> mg/L LC50 static 337 - 352: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through	EC50 = 32.4 mg/L 5 min EC50 = 880 mg/L 17 h	500: 48 h <i>Daphnia magna</i> mg/L EC50
Benzyl alcohol 100-51-6	35: 3 h <i>Anabaena variabilis</i> mg/L EC50	10: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 460: 96 h <i>Pimephales promelas</i> mg/L LC50 static	EC50 = 50 mg/L 5 min EC50 = 63.7 mg/L 15 min EC50 = 63.7 mg/L 5 min EC50 = 71.4 mg/L 30 min	23: 48 h water flea mg/L EC50
Monoethanolamine 141-43-5	15: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50	114 - 196: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static 3684: 96 h <i>Brachydanio rerio</i> mg/L LC50 static 200: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through 300 - 1000: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 227: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through	-	65: 48 h <i>Daphnia magna</i> mg/L EC50
Octanoic Acid 124-07-2	-	110: 96 h <i>Brachydanio rerio</i> mg/L LC50 semi-static 310: 96 h <i>Oryzias</i>	-	170: 24 h <i>Daphnia magna</i> mg/L EC50

		latipes mg/L LC50 semi-static		
--	--	-------------------------------	--	--

**Persistence/Degradability** No information available.

**Bioaccumulation** No information available.

**Mobility** .

Chemical Name	Partition Coefficient
Ethylene glycol monophenyl ether 122-99-6	1.13
Benzyl alcohol 100-51-6	1.1
Monoethanolamine 141-43-5	-1.91
Octanoic Acid 124-07-2	2.92

**Other Adverse Effects** No information available.

### 13. DISPOSAL CONSIDERATIONS

#### Waste Treatment Methods

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

### 14. TRANSPORT INFORMATION

**DOT** Not regulated

**TDG** Not regulated

**IATA** Not regulated

**IMDG** Not regulated

### 15. REGULATORY INFORMATION

#### REGULATORY INFORMATION

#### International Regulations

**Ozone-depleting substances (ODS)** Not applicable

**Persistent Organic Pollutants** Not applicable

**Export Notification requirements** Not applicable

**International Inventories**

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Ethylene glycol monophenyl ether	X	X	X	Present	X	Present	X	X
Benzyl alcohol	X	X	X	Present	X	Present	X	X
Monoethanolamine	X	X	X	Present	X	Present	X	X
Octanoic Acid	X	X	X	Present	X	Present	X	X

**Legend:****TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**AICS** - Australian Inventory of Chemical Substances**16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION**

<b>NFPA</b>	<b>Health Hazards</b> Not determined	<b>Flammability</b> Not determined	<b>Instability</b> Not determined	<b>Special Hazards</b> Not determined
<b>HMIS</b>	<b>Health Hazards</b> 2	<b>Flammability</b> 0	<b>Physical hazards</b> 0	<b>Personal Protection</b> Not determined

**Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value
*	Skin designation
<b>Issue Date:</b>	27-Dec-2011

**Revision Date:** 22-May-2017**Revision Note:** Canadian format**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**