



Safety Data Sheet

Issue Date: 27-Dec-2011

Revision Date: 18-Jan-2018

Version 2

1. IDENTIFICATION

Product Identifier

Product Name Buckeye Swat NA

Other means of identification

SDS # BE-5035-CA

Product Code 5035
Synonyms None

UN/ID No UN1760

Recommended use of the chemical and restrictions on use

Recommended Use Alkaline Floor Finish Stripper, Water Based

Uses Advised Against No information available

Details of the supplier of the safety data sheet

Initial Supplier Identifier

THIS SAFETY DATA SHEET
IS NOT COMPLIANT UNLESS
CANADIAN ADDRESS IS USED

United States Supplier Address

Buckeye International, Inc.
2700 Wagner Place
Maryland Heights, MO 63043 USA
1-314-291-1900

24 hr Emergency Telephone Numbers

TRANSPORTATION - INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

MEDICAL - 1-651-632-8956 (International) 1-800-303-0441 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear green solution

Physical state Liquid

Odour Slight floral fragrance

Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

Label Elements

Signal word

Danger

Hazard statements

Causes severe skin burns and eye damage

**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling
 Wear protective gloves/protective clothing/eye protection/face protection
 Do not breathe dust/fume/gas/mist/vapours/spray

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a POISON CENTRE or doctor
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 Immediately call a poison centre or doctor/physician
 Wash contaminated clothing before reuse
 IF INHALED: Remove person to fresh air and keep comfortable for breathing
 Immediately call a poison centre or doctor/physician
 IF SWALLOWED: rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Information

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical Name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Benzyl alcohol	100-51-6	5	-	-
Monoethanolamine	141-43-5	3.75	-	-
Ethylene glycol monophenyl ether	122-99-6	3	-	-
Alkylbenzenesulfonic Acid	68584-22-5	2	-	-
Potassium hydroxide	1310-58-3	<1	-	-

4. FIRST AID MEASURES

First Aid Measures**Eye contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison centre or doctor/physician.

Skin contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a poison centre or doctor/physician. Wash

contaminated clothing before reuse.

Inhalation Remove person to fresh air and keep comfortable for breathing. Immediately call a poison centre or doctor/physician.

Ingestion Drink 2-3 large glasses of water. Do NOT induce vomiting. Call a doctor immediately. Never give anything by mouth to an unconscious person.

Most important symptoms and effects

Symptoms Causes severe skin burns and eye damage. May be irritating to the mouth, throat and stomach.

Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

5. FIREFIGHTING MEASURES

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Not determined.

Specific hazards arising from the chemical Combustion products may be toxic.

Hazardous Combustion Products Carbon oxides. Sulphur oxides. Nitrogen oxides (NOx).

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up with mop, wet/dry vac, or absorbent material. Rinse area with clear water and allow floor to dry before allowing traffic.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Wash face, hands and any exposed skin thoroughly after handling. Keep containers closed when not in use.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed and store in a cool, dry and well-ventilated place. Store at room temperature. Do not store near acids. Store on low shelves.

Packaging materials Incompatible materials

Rinse container before discarding.
Chlorine bleach Acids

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical Name	Canada - Alberta - Occupational Exposure Limits - Ceilings	Canada - British Columbia - Occupational Exposure Limits - Ceilings	Canada - Ontario - Occupational Exposure Limits - Ceilings	Quebec
Monoethanolamine 141-43-5	TWA: 3 ppm TWA: 7.5 mg/m ³ STEL: 6 ppm STEL: 15 mg/m ³	TWA: 3 ppm STEL: 6 ppm	TWA: 3 ppm STEL: 6 ppm	TWA: 3 ppm TWA: 7.5 mg/m ³ STEL: 6 ppm STEL: 15 mg/m ³
Ethylene glycol monophenyl ether 122-99-6			TWA: 25 ppm TWA: 141 mg/m ³ Skin	
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³	CEV: 2 mg/m ³	Ceiling: 2 mg/m ³

Appropriate engineering controls

Engineering controls

Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/face protection

Splash goggles or safety glasses.

Skin and body protection

Rubber gloves. Normal work clothing (long sleeved shirts and long pants) is recommended. Wear water or chemical resistant footwear when scrubbing floors.

Respiratory protection

No protection is ordinarily required under normal conditions of use and with adequate ventilation.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Clear green solution
Colour	Clear green
Odour	Slight floral fragrance
Odour Threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	10.5 - 11.5 (conc.) 10.3 - 10.7 (1:4 dilution)	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	100 °C / 212 °F	
Flash Point	None	Tag Closed Cup (Water = 1)
Evaporation Rate	1.0	
Flammability (Solid, Gas)	Liquid-Not applicable	
Flammability Limits in Air		
Upper Flammability Limits	Not applicable	
Lower Flammability Limit	Not applicable	
Vapour Pressure	Not determined	
Vapour Density	Not determined	
Relative Density	1.02	
Water Solubility	Infinite	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive properties	No information available.	
Oxidising properties	No information available.	

Other Information

Softening Point	No information available
Molecular weight	No information available
VOC Content (%)	No information available
Density	No information available
Bulk Density	No information available

10. STABILITY AND REACTIVITY

Reactivity	Not reactive under normal conditions.
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous Polymerisation	Hazardous polymerisation does not occur.
Conditions to Avoid	Keep separated from incompatible substances. Keep out of reach of children.
Incompatible Materials	Chlorine bleach. Acids.
Hazardous Decomposition Products	Carbon oxides. Nitrogen oxides (NOx). Sulphur oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye contact	Causes serious eye damage.
Skin contact	Causes severe skin burns.
Inhalation	Avoid breathing vapours or mists.
Ingestion	Do not ingest.

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Numerical measures of toxicity

Not determined

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

Unknown acute toxicity No information available

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Benzyl alcohol 100-51-6	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	= 8.8 mg/L (Rat) 4 h
Monoethanolamine 141-43-5	= 1720 mg/kg (Rat)	= 1000 mg/kg (Rabbit) = 1 mL/kg (Rabbit)	-
Ethylene glycol monophenyl ether 122-99-6	= 1260 mg/kg (Rat)	= 5 mL/kg (Rabbit)	-
Alkylbenzenesulfonic Acid 68584-22-5	= 775 mg/kg (Rat)	= 2000 mg/kg (Rabbit)	-
Potassium hydroxide 1310-58-3	= 284 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

12. ECOLOGICAL INFORMATION

Ecotoxicity Harmful to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Benzyl alcohol 100-51-6	35: 3 h Anabaena variabilis mg/L EC50	10: 96 h Lepomis macrochirus mg/L LC50 static 460: 96 h Pimephales promelas mg/L LC50 static	EC50 = 50 mg/L 5 min EC50 = 63.7 mg/L 15 min EC50 = 63.7 mg/L 5 min EC50 = 71.4 mg/L 30 min	23: 48 h water flea mg/L EC50
Monoethanolamine 141-43-5	15: 72 h Desmodemus subspicatus mg/L EC50	200: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 227: 96 h Pimephales promelas mg/L LC50 flow-through 300 - 1000: 96 h Lepomis macrochirus mg/L LC50 static 3684: 96 h Brachydanio rerio mg/L LC50 static 114 - 196: 96 h Oncorhynchus mykiss mg/L LC50 static	-	65: 48 h Daphnia magna mg/L EC50
Ethylene glycol monophenyl ether 122-99-6	500: 72 h Desmodemus subspicatus mg/L EC50	337 - 352: 96 h Pimephales promelas mg/L LC50 flow-through 366: 96 h Pimephales promelas mg/L LC50 static 220 - 460: 96 h Leuciscus idus mg/L LC50 static	EC50 = 32.4 mg/L 5 min EC50 = 880 mg/L 17 h	500: 48 h Daphnia magna mg/L EC50
Alkylbenzenesulfonic Acid 68584-22-5	-	3: 96 h Oncorhynchus mykiss mg/L LC50 static	-	2.9: 48 h Daphnia magna mg/L EC50
Potassium hydroxide 1310-58-3	-	80: 96 h Gambusia affinis mg/L LC50 static	-	-

Persistence/Degradability No information available.

Bioaccumulation No information available.

Mobility .

Chemical Name	Partition Coefficient
Benzyl alcohol 100-51-6	1.1
Monoethanolamine 141-43-5	-1.91
Ethylene glycol monophenyl ether 122-99-6	1.13
Alkylbenzenesulfonic Acid 68584-22-5	2
Potassium hydroxide 1310-58-3	0.65 0.83

Other Adverse Effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

14. TRANSPORT INFORMATION

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN/ID No	UN1760
Proper Shipping Name	Corrosive Liquids, n.o.s. (Ethanolamine, Potassium Hydroxide)
Hazard Class	8
Packing Group	II

TDG

UN/ID No	UN1760
Proper Shipping Name	Corrosive Liquids, n.o.s. (Ethanolamine, Potassium Hydroxide)
Hazard Class	8
Packing Group	II

IATA

UN/ID No	UN1760
Proper Shipping Name	Corrosive Liquids, n.o.s. (Ethanolamine, Potassium Hydroxide)
Hazard Class	8
Packing Group	II

IMDG

UN/ID No	UN1760
Proper Shipping Name	Corrosive Liquids, n.o.s. (Ethanolamine, Potassium Hydroxide)
Hazard Class	8
Packing Group	II

15. REGULATORY INFORMATION

REGULATORY INFORMATION

International Regulations

Ozone-depleting substances (ODS)	Not applicable
Persistent Organic Pollutants	Not applicable
Export Notification requirements	Not applicable

International Inventories

Chemical Name	TSCA	DSL/NDL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Benzyl alcohol	X	X	X	Present	X	Present	X	X
Monoethanolamine	X	X	X	Present	X	Present	X	X
Ethylene glycol monophenyl ether	X	X	X	Present	X	Present	X	X
Alkylbenzenesulfoni c Acid	X	X	X	Present	X	Present	X	X
Potassium hydroxide	X	X	X	Present	X	Present	X	X

Legend:**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**AICS** - Australian Inventory of Chemical Substances**16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION**

NFPA	Health Hazards 3	Flammability 0	Instability 0	Special Hazards Not determined
HMIS	Health Hazards Not determined	Flammability Not determined	Physical hazards Not determined	Personal Protection Not determined

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value
*	Skin designation
Issue Date:	27-Dec-2011

Revision Date: 18-Jan-2018**Revision Note:** Regulatory update.**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet