



Safety Data Sheet

Issue Date: 01-Apr-2014

Revision Date: 11-Nov-2016

Version 1

1. IDENTIFICATION

Product Identifier

Product Name Buckeye Terminator

Other means of identification

SDS # BE-5099-CA

Product Code 5099
Synonyms None

UN/ID No UN1760

Recommended use of the chemical and restrictions on use

Recommended Use Cleaner Disinfectant Waterbased

Uses Advised Against No information available

Details of the supplier of the safety data sheet

Initial Supplier Identifier

THIS SAFETY DATA SHEET
IS NOT COMPLIANT UNLESS
CANADIAN ADDRESS IS USED

United States Supplier Address

Buckeye International, Inc.
2700 Wagner Place
Maryland Heights, MO 63043 USA
1-314-291-1900

24 hr Emergency Telephone Numbers

TRANSPORTATION - INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

MEDICAL - 1-651-632-8956 (International) 1-800-303-0441 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear green liquid

Physical state Liquid

Odour Mild Fragrance added

Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

Label Elements

Signal word

Danger

Hazard statements

Causes severe skin burns and eye damage

**Precautionary Statements - Prevention**

Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Do not breathe dust/fume/gas/mist/vapours/spray

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a poison centre or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Immediately call a poison centre or doctor/physician

IF SWALLOWED: rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Nonylphenol Ethoxylate	127087-87-0	3.5	-	-
Di-n-alkyl Dimethyl Ammonium Chloride	68424-95-3	3.5	-	-
Alkyl dimethyl benzyl ammonium chloride (C12-16)	68424-85-1	2.5	-	-
Ethyl Alcohol	64-17-5	1	-	-

4. FIRST AID MEASURES

First Aid Measures**Eye contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison centre or doctor/physician.

Skin contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Take off contaminated clothing and wash it before reuse. Immediately call a poison centre or doctor/physician.

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. Immediately call a poison centre or doctor/physician.

Ingestion IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Have person sip a glass of water if able to swallow. Never give anything by mouth to an unconscious person. Immediately call a poison centre or doctor/physician.

Most important symptoms and effects

Symptoms Causes severe skin burns and eye damage. Mist or vapour inhalation can cause irritation to the nose, throat, and upper respiratory tract. Ingestion may cause nausea and headache.

Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically. If the product is ingested, probable mucosal damage may contraindicate the use of gastric lavage.

5. FIREFIGHTING MEASURES

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Not determined.

Specific hazards arising from the chemical Combustion products may be toxic.

Hazardous Combustion Products Carbon oxides. Nitrogen oxides (NOx). Hydrogen chloride.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Environmental precautions

Environmental precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up with mop, wet/dry vac, or absorbent material. Rinse area with clear water and allow floor to dry before allowing traffic.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Use personal protection recommended in Section 8. Wash face, hands and any exposed skin thoroughly after handling. Do not breathe dust/fume/gas/mist/vapours/spray.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep container closed when not in use.

Packaging materials Rinse container before discarding.
Incompatible materials Chlorine bleach Anionic detergents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical Name	Canada - Alberta - Occupational Exposure Limits - Ceilings	Canada - British Columbia - Occupational Exposure Limits - Ceilings	Canada - Ontario - Occupational Exposure Limits - Ceilings	Quebec
Ethyl Alcohol 64-17-5	TWA: 1000 ppm TWA: 1880 mg/m ³	STEL: 1000 ppm	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1880 mg/m ³

Appropriate engineering controls

Engineering controls Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/face protection Splash goggles or safety glasses.

Skin and body protection Rubber gloves. Normal work clothing (long sleeved shirts and long pants) is recommended. Wear water or chemical resistant footwear when scrubbing floors.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid
Appearance Clear green liquid
Colour Clear green
Odour Mild Fragrance added
Odour Threshold No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	11.8-12.2 (conc.) 9.7-10.1 (1:64 dilution)	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	100 °C / 212 °F	
Flash Point	>93.3 °C / >200 °F	Tag Closed Cup
Evaporation Rate	1.0	(Water = 1)
Flammability (Solid, Gas)	Liquid-Not Applicable	
Flammability Limits in Air		
Upper Flammability Limits	Not Applicable	
Lower Flammability Limit	Not Applicable	
Vapour Pressure	Not determined	
Vapour Density	Not determined	
Relative Density	1.01	
Water Solubility	Infinite	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive properties	No information available.	
Oxidising properties	No information available.	
<u>Other Information</u>		
Softening Point	No information available	
Molecular weight	No information available	
VOC Content (%)	No information available	
Density	No information available	
Bulk Density	No information available	

10. STABILITY AND REACTIVITY

Reactivity	Not reactive under normal conditions.
Chemical Stability	Stable under normal conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous Polymerisation	Hazardous polymerisation does not occur.
Conditions to Avoid	Keep separated from incompatible substances. Keep out of reach of children.
Incompatible Materials	Chlorine bleach. Anionic detergents.
Hazardous Decomposition Products	Thermal decomposition can lead to release of irritating and toxic gases and vapours.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye contact	Causes severe eye damage.
Skin contact	Causes severe skin burns.
Inhalation	Avoid breathing vapours or mists.

Ingestion Do not ingest.

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Numerical measures of toxicity

Acute Toxicity

Unknown acute toxicity No information available

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Nonylphenol Ethoxylate 127087-87-0	= 1310 mg/kg (Rat)	-	-
Alkyl dimethyl benzyl ammonium chloride (C12-16) 68424-85-1	= 426 mg/kg (Rat)	-	-
Ethyl Alcohol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed as an alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl Alcohol 64-17-5	A3	Group 1	Known	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labour)

X - Present

12. ECOLOGICAL INFORMATION

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethyl Alcohol 64-17-5	-	100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through 12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static	EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min	10800: 24 h Daphnia magna mg/L EC50 9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static

Persistence/Degradability No information available.

Bioaccumulation No information available.

Mobility .

Chemical Name	Partition Coefficient
Ethyl Alcohol 64-17-5	-0.32

Other Adverse Effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. TRANSPORT INFORMATION

DOT

UN/ID No UN1760
Proper Shipping Name Corrosive liquid, n.o.s. (Dialkyldimethylammonium chloride)
Hazard Class 8
Packing Group II

TDG

UN/ID No UN1760
Proper Shipping Name Corrosive liquid, n.o.s. (Dialkyldimethylammonium chloride)
Hazard Class 8
Packing Group II

IATA

UN/ID No UN1760
Proper Shipping Name Corrosive liquid, n.o.s. (Dialkyldimethylammonium chloride)
Hazard Class 8
Packing Group II

IMDG

UN/ID No Not regulated
 UN1760
Proper Shipping Name Corrosive liquid, n.o.s. (Dialkyldimethylammonium chloride)
Hazard Class 8
Packing Group II
Marine Pollutant Not a marine pollutant

15. REGULATORY INFORMATION

REGULATORY INFORMATION

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Nonylphenol Ethoxylate	X	X	X	Present	X	Present	X	X
Di-n-alkyl Dimethyl Ammonium Chloride	X	X	X	Present	X	Present	X	X
Alkyl dimethyl benzyl ammonium chloride (C12-16)	X	X	X	Present	X	Present	X	X
Ethyl Alcohol	X	X	X	Present	X	Present	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health Hazards 3	Flammability 1	Instability 0	Special Hazards Not determined
HMIS	Health Hazards Not determined	Flammability Not determined	Physical hazards Not determined	Personal Protection Not determined

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average)

STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value

* Skin designation

Issue Date: 01-Apr-2014

Revision Date: 11-Nov-2016

Revision Note: Canadian format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet