

Safety Data Sheet

| Issue Date: | 27-Dec-2011 | Revision Date: | 15-May-2018 | | Version 2 |
|-------------------------------|--|---|------------------------------------|--------------------------------|-----------|
| | | 1. IDENT | IFICATION | | |
| Product Ider | ntifier_ | | | | |
| Product Nan | ne | Buckeye Marauder - Un | scented | | |
| Other means | s of identification | | | | |
| SDS # | | BE-5266-CA | | | |
| Product Coc Synonyms | le | 5266 None | | | |
| Recommend | led use of the chen | nical and restrictions on use | _ | | |
| Recommend | led Use | All Purpose Cleaner, Wa | ater Based | | |
| Uses Advise | ed Against | No information available | | | |
| Details of the | e supplier of the sa | fety data sheet | | | |
| Initial Suppli | ier Identifier | <u>United States Supp</u> Buckeye Internationa 2700 Wagner Place Maryland Heights, M 1-314-291-1900 | al, Inc. | | |
| <u>24 hr Emerg</u> Numbers | ency Telephone | | | | |
| | | TRANSPORTATION - IN 1-800-535-5053 (North / | NFOTRAC 1-352-323-3500 America) | (International) | |
| | | MEDICAL - 1-651-632-8 | 956 (International) 1-800- | 303-0441 (North America) | |
| | | 2. HAZARDS I | DENTIFICATION | | |
| Appearance | Clear liquid | Physical state Liq | uid Odo | ur No scent No fragrance | added |
| <u>Classificatio</u> | <u>on</u> | | | | |
| This product below. | has received further | evaluation from the manufactu | irer. The test results provide | ed are reflected in the classi | fication |
| Skin corrosio | | | | Category 2 | |
| Serious eye | Serious eye damage/eye irritation Category 2 | | | | |
| Label Eleme | ents | | | | |

Signal word Warning

Hazard statements Causes skin irritation

Causes skin irritation Causes serious eye irritation



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of water and soap If skin irritation occurs: Get medical advice/attention

Take off all contaminated clothing and wash it before reuse

Other Information

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

| Chemical Name | CAS No | Weight-% | Hazardous Material Information Review Act registry number (HMIRA registry #) | Date HMIRA filed and date exemption granted (if applicable) |
|-------------------|-----------|----------|---|---|
| Hydrogen Peroxide | 7722-84-1 | 4.55 | - | - |

4. FIRST AID MEASURES

| First Aid Measures | |
|--------------------|--|
| Eye contact | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| Skin contact | IF ON SKIN: Wash with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. |
| Inhalation | Remove to fresh air. |
| Ingestion | Drink 2-3 large glasses of water. Do NOT induce vomiting. Call a doctor. Never give anything by mouth to an unconscious person. |

Most important symptoms and effects

| Symptoms | Causes skin irritation. Can cause defatting of skin tissue. Causes serious eye irritation. |
|------------------------------------|--|
| Indication of any immediate medica | I attention and special treatment needed |

 Note to doctors
 Treat symptomatically. Dermatitis or other pre-existing skin conditions may be aggravated by overexposure to this product.

5. FIREFIGHTING MEASURES

| Suitable Extinguishing Media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
|--|--|
| Unsuitable extinguishing media | Not determined. |
| Specific hazards arising from the chemical | Combustion products may be toxic. |
| Hazardous Combustion Products | Carbon oxides. Nitrogen oxides (NOx). |
| Explosion Data Sensitivity to Mechanical Impac Sensitivity to Static Discharge | t None. None. |
| Special protective equipment for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. |

6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective equipment and emergency procedures | | | | |
|---|--|--|--|--|
| Personal precautions | Use personal protective equipment as required. | | | |
| Environmental precautions | | | | |
| Environmental precautions | Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS. | | | |
| Methods and material for containment and cleaning up | | | | |
| Methods for containment | Prevent further leakage or spillage if safe to do so. | | | |
| Methods for cleaning up | Pick up with mop, wet/dry vac, or absorbent material. Rinse area with clear water and allow floor to dry before allowing traffic. | | | |
| Prevention of secondary hazards | Clean contaminated objects and areas thoroughly observing environmental regulations. | | | |

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Use personal protection recommended in Section 8. Wash face, hands and any exposed skin thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a cool, well-ventilated place. Keep container closed when
not in use. Store at room temperature. Store locked up.

Incompatible materials

Chlorine bleach

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

| Chemical Name | Canada - Alberta - Occupational Exposure Limits - Ceilings | Canada - British Columbia - Occupational Exposure Limits - Ceilings | Canada - Ontario - Occupational Exposure Limits - Ceilings | Quebec |
|--------------------------------|--|--|--|--|
| Hydrogen Peroxide 7722-84-1 | TWA: 1 ppm TWA: 1.4 mg/m ³ | TWA: 1 ppm | TWA: 1 ppm | TWA: 1 ppm TWA: 1.4 mg/m ³ |

Appropriate engineering controls

| Engineering controls | Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers. | | |
|-----------------------------------|---|--|--|
| Individual protection measures, s | uch as personal protective equipment | | |
| Eye/face protection | Risk of contact: Wear approved safety goggles. | | |
| Skin and body protection | Rubber gloves. Wear suitable protective clothing. | | |
| Respiratory protection | If necessary, refer to appropriate regulations and standards. | | |
| General hygiene considerations | Handle in accordance with good industrial hygiene and safety practice. | | |

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Colour Odour Odour Threshold

<u>Property</u> pH

Melting point / freezing point Boiling Point / Boiling Range Flash Point Evaporation Rate Flammability (Solid, Gas) Flammability Limit in Air Upper Flammability Limit Lower Flammability Limit Vapour Pressure Liquid Clear liquid Clear No scent No fragrance added No information available

Values 3.3-3.7 (conc.) 3.4-3.8 (1:10 dilution) Not determined 100 °C / 212 °F None 1.0 Liquid-Not Applicable Not Applicable Not Applicable Not determined Remarks • Method

Tag Closed Cup (Water = 1)

| Vapour Density | Not determined |
|------------------------------|---------------------------|
| Relative Density | 1.03 |
| Water Solubility | Infinite |
| Solubility in other solvents | Not determined |
| Partition Coefficient | Not determined |
| Autoignition temperature | Not determined |
| Decomposition Temperature | Not determined |
| Kinematic Viscosity | Not determined |
| Dynamic Viscosity | Not determined |
| Explosive properties | No information available. |
| Oxidising properties | No information available. |
| | |
| Other Information | |
| Softening Point | No information available |
| Molecular weight | No information available |
| VOC Content (%) | No information available |
| Density | No information available |
| Bulk Density | No information available |
| | |

10. STABILITY AND REACTIVITY

| Reactivity | Not reactive under normal conditions. |
|------------------------------------|---|
| Chemical Stability | Stable under normal conditions. |
| Possibility of Hazardous Reactions | None under normal processing. |
| Hazardous Polymerisation | Hazardous polymerisation does not occur. |
| Conditions to Avoid | Keep separated from incompatible substances. Keep out of reach of children. |
| Incompatible Materials | Chlorine bleach. |

Hazardous Decomposition Products Carbon oxides. Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| Product Information | The information below is for repeated and prolonged contact in an occupational setting. does not apply to normal product use | lt |
|--|--|----|
| Eye contact | Causes serious eye irritation. | |
| Skin contact | Causes skin irritation. | |
| Inhalation | Avoid breathing vapours or mists. | |
| Ingestion | Do not ingest. | |
| Information on physical, chemical a | and toxicological effects | |
| Symptoms | Please see section 4 of this SDS for symptoms. | |
| Numerical measures of toxicity Not determined | | |
| Unknown acute toxicity | No information available | |

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-------------------------------------|--------------------|-----------------------|-----------------------------------|
| Hydrogen Peroxide 7722-84-1 | = 1518 mg/kg (Rat) | = 9200 mg/kg (Rabbit) | = 2000 mg/m ³ (Rat)4 h |
| Sodium xylenesulfonate 1300-72-7 | = 1000 mg/kg (Rat) | - | - |
| Potassium Nitrate 7757-79-1 | = 3015 mg/kg (Rat) | - | - |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

Nitrate or nitrite (ingested) under conditions that result in endogenous nitrosation are considered IARC group 2A carcinogens.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|--------------------------------|-------|----------|-----|------|
| Hydrogen Peroxide 7722-84-1 | A3 | Group 3 | - | - |
| Potassium Nitrate 7757-79-1 | - | Group 2A | - | X |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 2A - Probably Carcinogenic to Humans Group 3 IARC components are "not classifiable as human carcinogens" OSHA (Occupational Safety and Health Administration of the US Department of Labour) X - Present

12. ECOLOGICAL INFORMATION

| Ecotoxicity | Harmful to aquatic life with long lasting effects. | | | | |
|---------------------------|--|--|--|--|--|
| Persistence/Degradability | No information available. | | | | |
| Bioaccumulation | No information available. | | | | |
| Other Adverse Effects | No information available. | | | | |

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

| Waste from residues/unused products | Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. |
|--|---|
| Contaminated packaging | Do not reuse empty containers. |

| 14. TRANSPORT INFORMATION | | | | | |
|---------------------------|--|--|--|--|--|
| Note | Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances | | | | |
| DOT | Not regulated | | | | |
| TDG | Not regulated | | | | |
| IATA | Not regulated | | | | |
| IMDG | Not regulated | | | | |

15. REGULATORY INFORMATION

REGULATORY INFORMATION

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

| Chemical Name | TSCA | DSL/NDSL | EINECS/ELI NCS | ENCS | IECSC | KECL | PICCS | AICS |
|-------------------|------|----------|-------------------|------|-------|------|-------|------|
| Hydrogen Peroxide | Х | Х | Х | Х | Х | Х | Х | Х |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances **PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

| NFPA | Health Hazards 3 | Flammability | 0 | Instability 0 | | Special Hazards Not determined | |
|--|------------------|----------------------------|-----|-----------------------------|-----|--------------------------------|--|
| <u>HMIS</u> | Health Hazards 3 | Flammability determined | Not | Physical hazards determined | Not | | |
| Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit) Ceiling Maximum limit value * Skin designation Issue Date: 27-Dec-2011 | | | | | | | |
| Revision Date: | 15-May-2 | 018 | | | | | |
| Revision Note: | Regulator | y Update | | | | | |

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet