

Safety Data Sheet

Issue Date: 27-Dec-2011 **Revision Date:** 20-Oct-2017 **Version** 2

1. IDENTIFICATION

Product Identifier

Product Name Buckeye Shopmaster

Other means of identification

SDS # BE-5770

Product Code 5770

Recommended use of the chemical and restrictions on use

Recommended Use Heavy Duty Cleaner. Degreaser. Water based.

Details of the supplier of the safety data sheet

Supplier Address

Buckeye International, Inc. 2700 Wagner Place Maryland Heights, MO 63043 USA

Emergency Telephone Number

Company Phone Number 1-314-291-1900

Emergency Telephone (24 hr) Transportation - INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

Medical - (International) 1-651-632-8956 (North America) 1-800-303-0441

2. HAZARDS IDENTIFICATION

Appearance Clear, yellow liquid Physical state Liquid Odor Floral

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2

Signal Word Warning

Hazard statements

Causes skin irritation Causes serious eye irritation



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Gently wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

Other hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
Glycol ether TPM	25498-49-1	<5
Dodecyl benzene sulfonic acid	27176-87-0	<5
Sodium metasilicate	6834-92-0	<3

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST AID MEASURES

First Aid Measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

eye irritation persists: Get medical advice/attention.

Skin Contact Wash with soap and water. If skin irritation persists, call a physician.

Inhalation Remove to fresh air.

Ingestion Drink 2-3 large glasses of water. Do NOT induce vomiting. Never give anything by mouth to

an unconscious person. Call a physician.

Most important symptoms and effects

Symptoms Exposed individuals may experience eye tearing, redness, and discomfort. Causes skin

irritation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Combustion products may be toxic.

Hazardous Combustion Products Carbon oxides. Silicon oxides. Nitrogen oxides (NOx).

•

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental precautions

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Pick up with mop, wet/dry vac, or absorbent material. Rinse area with clear water and allow

floor to dry before allowing traffic.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Wash thoroughly after handling. Use personal protection recommended in Section 8. Keep

out of the reach of children. If concentrated or diluted product is allowed to dry on glass,

Revision Date: 20-Oct-2017

etching may occur.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep container

closed when not in use. Store at room temperature.

Packaging Materials May damage some plastics.

Incompatible Materials Chlorine bleach.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium metasilicate	2 mg/m³	2 mg/m³	-
6834-92-0			

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Risk of contact: Wear approved safety goggles.

Skin and Body Protection Wear rubber gloves or other impervious gloves. Footwear that keeps feet dry is suggested.

Respiratory Protection Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Wash hands thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance Clear, yellow liquid Odor Floral

Color Yellow Odor Threshold Not determined

Property Values Remarks • Method

pH 12.3 ± 0.2 (conc)

Melting Point/Freezing Point Not determined Boiling Point/Boiling Range 11.2 \pm 0.2 (1:10 dilution) Not determined 100 °C / 212 °F

 Flash Point
 None
 Tag Closed Cup

 Evaporation Rate
 1.0
 (Water = 1)

 Flammability (Solid, Gas)
 n/a-liquid

Flammability Limits in Air

Upper Flammability Limits
Lower Flammability Limit

Vapor Pressure
Vapor Density

Not applicable
Not determined
Not determined

Relative Density 1.03
Water Solubility Infinite

Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined Dynamic Viscosity Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Chlorine bleach.

Hazardous Decomposition Products

Carbon oxides. Nitrogen oxides (NOx). Silicon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes serious eye irritation.

Skin Contact Avoid contact with skin.

Inhalation Avoid breathing vapors or mists.

Ingestion Do not ingest.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Propylene Glycol Phenyl Ether	= 2830 mg/kg (Rat)	> 2 g/kg (Rabbit)	-
770-35-4			
Glycol ether TPM 25498-49-1	= 3200 mg/kg (Rat)	= 15440 mg/kg (Rabbit)	-
Dodecyl benzene sulfonic acid 27176-87-0	= 1260 mg/kg (Rat)	631 - 1000 mg/kg (Rabbit)	-
Sodium metasilicate 6834-92-0	= 1153 mg/kg (Rat)	-	-

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or

potential carcinogens as listed by OSHA, IARC or NTP.

Numerical measures of toxicity

Not determined.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Glycol ether TPM 25498-49-1		11619: 96 h Pimephales promelas mg/L LC50 static	10: 48 h Daphnia magna mg/L EC50
Dodecyl benzene sulfonic acid 27176-87-0	29: 96 h Pseudokirchneriella subcapitata mg/L EC50	3.5 - 10: 96 h Brachydanio rerio mg/L LC50 static 10.8: 96 h Oncorhynchus mykiss mg/L LC50 static	5.88: 48 h Daphnia magna mg/L EC50
Sodium metasilicate 6834-92-0		210: 96 h Brachydanio rerio mg/L LC50 semi-static 210: 96 h Brachydanio rerio mg/L LC50	216: 96 h Daphnia magna mg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

<u>IATA</u> Not regulated

IMDG

Marine Pollutant This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/E	ENCS	IECSC	KECL	PICCS	AICS
			LINCS					
Propylene Glycol Phenyl Ether	Х	X	X	Present	Х	Present	Χ	Х
Glycol ether TPM	Х	Х	X	Present	X	Present	Х	X
Dodecyl benzene sulfonic acid	Х	Х	X	Present	Х	Present	Х	X
Sodium metasilicate	Х	Х	Х	Present	X	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

Does not apply

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Dodecyl benzene sulfonic acid	1000 lb		RQ 1000 lb final RQ
27176-87-0			RQ 454 kg final RQ

SARA 311/312 Hazard Categories

This material, as supplied, does not contain any substances subject to the requirements of SARA Sections 311/312 (40 CFR 370)

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Glycol ether TPM - 25498-49-1	25498-49-1	4.9	1.0

CWA (Clean Water Act)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Dodecyl benzene sulfonic acid	1000 lb			Х

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Glycol ether TPM 25498-49-1	X		X
Dodecyl benzene sulfonic acid 27176-87-0	X	X	X

16. OTHER INFORMATION

NFPA **Health Hazards Flammability** Instability **Special Hazards** Not determined **Personal Protection HMIS Health Hazards Flammability** Physical hazards Not determined Not determined Not determined Not determined

Issue Date: 27-Dec-2011 **Revision Date:** 20-Oct-2017 **Revision Note:** Regulatory Update

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet