

## Safety Data Sheet

Issue Date: 27-Dec-2011

Revision Date: 22-Dec-2017

Version 2

## **1. IDENTIFICATION**

Product Identifier Product Name	Buckeye Status	
Other means of identification SDS #	BE-5555	
Product Code	5555	
Recommended use of the chemical Recommended Use	and restrictions on use Furniture Polish, Water Based.	
Details of the supplier of the safety Supplier Address Buckeye International, Inc. 2700 Wagner Place Maryland Heights, MO 63043 USA	data sheet_	
Emergency Telephone Number Company Phone Number Emergency Telephone (24 hr)	1-314-291-1900 Transportation - INFOTRAC 1-352-323-3500 (Inter 1-800-535-5053 (North America) Medical - (International) 1-651-632-8956 (North Ar	
	2. HAZARDS IDENTIFICATION	
Appearance White opaque solution	Physical State Liquid	Odor Lemon
Classification_		
Acute toxicity - Inhalation (Dusts/Mists Germ cell mutagenicity Specific target organ toxicity (repeated		Category 4 Category 1A Category 1
Hazards Not Otherwise Classified (H Causes mild skin irritation	<u>INOC)</u>	
<u>Signal Word</u> Danger		
Hazard Statements Harmful if inhaled May cause genetic defects Causes damage to organs through pro	longed or repeated exposure	



## **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product

#### **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Precautionary Statements - Storage

Store locked up

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
Mineral Spirits (Rule 66)	8052-41-3	<8
Hexylene glycol	107-41-5	<7

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

#### 4. FIRST-AID MEASURES

#### **First Aid Measures**

General Advice	Provide this SDS to medical personnel for treatment.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Consult a physician.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Ingestion	Give two large glasses of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention.

#### Most important symptoms and effects

Symptoms	Harmful if inhaled. Causes mild skin irritation. Causes damage to organs through prolonged
	or repeated exposure.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

## **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Not determined.

Hazardous Combustion Products Carbon oxides. Silicon oxides.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protective equipment as required.	
<b>Environmental Precautions</b>	See Section 12 for additional Ecological Information.	
Methods and material for containment and cleaning up		
Methods for Containment	Prevent further leakage or spillage if safe to do so.	

# Methods for Clean-Up Pick up with mop, wet/dry vac, or absorbent material. Rinse area with clear water and allow floor to dry before allowing traffic. Dispose of contents/container to an approved waste disposal plant.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep container tightly closed and store in a cool, dry and well-ventilated place. Protect from extreme temperatures. Keep locked up and out of reach of children.
Incompatible Materials	Do not mix with chlorinated detergents (bleach).

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Mineral Spirits (Rule 66)	TWA: 100 ppm	TWA: 500 ppm	IDLH: 20000 mg/m <sup>3</sup>
8052-41-3		TWA: 2900 mg/m <sup>3</sup>	Ceiling: 1800 mg/m <sup>3</sup> 15 min
		(vacated) TWA: 100 ppm	TWA: 350 mg/m <sup>3</sup>
		(vacated) TWA: 525 mg/m <sup>3</sup>	-
Hexylene glycol	Ceiling: 25 ppm	(vacated) Ceiling: 25 ppm	Ceiling: 25 ppm
107-41-5		(vacated) Ceiling: 125 mg/m <sup>3</sup>	Ceiling: 125 mg/m <sup>3</sup>
Triethanolamine	TWA: 5 mg/m <sup>3</sup>	-	-
102-71-6	5		

## Appropriate engineering controls

Engineering Controls	Apply technical measures to comply with the occupational exposure limits. Showers. Eyewash stations. Ventilation systems.	
Individual protection measures, s	uch as personal protective equipment	
Eye/Face Protection	Wear safety glasses or goggles to protect against exposure. Refer to 29 CFR 1910.133 for eye and face protection regulations.	
Skin and Body Protection	Wear protective gloves. Refer to 29 CFR 1910.138 for appropriate skin and body protection.	
Respiratory Protection	No protective equipment is needed under normal use conditions. Refer to 29 CFR 1910.134 for respiratory protection requirements.	

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical State Appearance Color	Liquid White opaque solution White	Odor Odor Threshold	Lemon Not determined
<u>Property</u> pH Melting Point/Freezing Point Boiling Point/Boiling Range Flash Point	Values 7.4 +/- 0.2 Not determined 100 °C / 212 °F None	<u>Remarks • Method</u>	
Evaporation Rate Flammability (Solid, Gas) Upper Flammability Limits Lower Flammability Limit Vapor Pressure Vapor Density Specific Gravity Water Solubility	1.0 Liquid- Not Applicable Not determined Not determined Not determined 0.98 Miscible in water	(Water = 1)	

Solubility in other solvents	
Partition Coefficient	
Auto-ignition Temperature	
<b>Decomposition Temperature</b>	
Kinematic Viscosity	
Dynamic Viscosity	
Explosive Properties	
Oxidizing Properties	
Additional Information	

Not determined % Volatile by weight 94

## **10. STABILITY AND REACTIVITY**

#### **Reactivity**

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

#### Hazardous Polymerization

Hazardous polymerization does not occur.

#### **Conditions to Avoid**

Keep out of reach of children.

#### **Incompatible Materials**

Do not mix with chlorinated detergents (bleach).

#### Hazardous Decomposition Products

Carbon oxides. Silicon oxides.

## **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	
Eye Contact	Avoid contact with eyes.
Skin Contact	Causes mild skin irritation.
Inhalation	Harmful if inhaled.
Ingestion	Do not ingest.

#### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Polydimethylsiloxane 63148-62-9	> 17 g/kg (Rat)	> 2 g/kg (Rabbit)	-
Hexylene glycol 107-41-5	= 3692 mg/kg (Rat)	= 8560 µL/kg (Rabbit)	> 310 mg/m³(Rat)1 h
Triethanolamine 102-71-6	= 4190 mg/kg (Rat)	> 16 mL/kg (Rat)> 20 mL/kg ( Rabbit)	-

#### Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Germ cell mutagenicity

May cause genetic defects.

Carcinogenicity

Group 3 IARC components are "not classifiable as human carcinogens".

Chemical Name	ACGIH	IARC	NTP	OSHA
Triethanolamine		Group 3		
102-71-6				

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

**STOT - repeated exposure** Causes damage to organs through prolonged or repeated exposure.

#### Numerical measures of toxicity

Not determined

## **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

#### Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Hexylene glycol 107-41-5		10500 - 11000: 96 h Pimephales promelas mg/L LC50 flow-through 10000: 96 h Lepomis macrochirus mg/L LC50 static 10700: 96 h Pimephales promelas mg/L LC50 static 8690: 96 h Pimephales promelas mg/L LC50 flow-through	EC50 = 3038 mg/L 5 min	2700 - 3700: 48 h Daphnia magna mg/L EC50
Triethanolamine 102-71-6	216: 72 h Desmodesmus subspicatus mg/L EC50 169: 96 h Desmodesmus subspicatus mg/L EC50	10600 - 13000: 96 h Pimephales promelas mg/L LC50 flow-through 1000: 96 h Pimephales promelas mg/L LC50 static 450 - 1000: 96 h Lepomis macrochirus mg/L LC50 static		1386: 24 h Daphnia magna mg/L EC50

#### Persistence/Degradability

Not determined.

## **Bioaccumulation**

Not determined.

#### **Mobility**

Chemical Name	Partition Coefficient
Hexylene glycol 107-41-5	<0.14
Triethanolamine 102-71-6	-2.53

#### Other Adverse Effects

Not determined

	13. DISPOSAL CONSIDERATIONS
Waste Treatment Methods	
Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.
	14. TRANSPORT INFORMATION
<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
DOT	Not regulated
IATA	Not regulated
IMDG	Not regulated

## **15. REGULATORY INFORMATION**

#### International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Mineral Spirits (Rule 66)	Present	Х		Present		Present	Х	Present	Х	Х
Hexylene glycol	Present	Х		Present		Present	Х	Present	Х	Х

#### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### <u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Mineral Spirits (Rule 66)	Х	Х	Х
8052-41-3			
Hexylene glycol	Х	Х	X
107-41-5			
Triethanolamine	Х	Х	X
102-71-6			

## **16. OTHER INFORMATION**

<u>NFPA</u> HMIS	Health Hazards 1 Health Hazards Not determined	Flammability 0 Flammability Not determined	<b>Instability</b> 0 <b>Physical Hazards</b> Not determined	Special Hazards Not determined Personal Protection Not determined
Issue Date: Revision Date:	27-Dec-2011 22-Dec-2017			

Telephone number update

#### **Disclaimer**

**Revision Note:** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet